
Safety Assessment of *Citrus* Peel-Derived Ingredients as Used in Cosmetics

Status: Draft Final Report for Panel Review
Release Date: September 2, 2016
Panel Meeting Date: September 26-27, 2016

The 2016 Cosmetic Ingredient Review Expert Panel members are: Chairman, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; Ronald A. Hill, Ph.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; James G. Marks, Jr., M.D.; Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. The CIR Director is Lillian J. Gill, D.P.A. This report was prepared by Christina Burnett, Senior Scientific Analyst/Writer.

Cosmetic Ingredient Review

1620 L Street NW, Suite 1200 ♦ Washington, DC 20036-4702 ♦ ph 202.331.0651 ♦ fax 202.331.0088 ♦
cirinfo@cir-safety.org



Commitment & Credibility since 1976

Memorandum

To: CIR Expert Panel Members and Liaisons
From: Christina L. Burnett, Senior Scientific Writer/Analyst
Date: September 2, 2016
Subject: Draft Final Safety Assessment on *Citrus* Peel-Derived Ingredients

Enclosed is the Draft Final Report of the Safety Assessment of *Citrus* Peel-Derived Ingredients as Used in Cosmetics. (It is identified as *cpeels092016rep* in the pdf document).

At the June meeting, the Panel issued a tentative report with the conclusion that the 48 *Citrus* peel-derived ingredients included in the report are safe for use in both rinse-off and leave-on cosmetic products when formulated to be non-sensitizing and non-irritating, provided that leave-on products do not contain more than 0.0015% (15 ppm) 5-MOP. The Panel should note that while *Citrus Aurantium Amara* (Bitter Orange) Peel Wax is not in the *International Cosmetic Dictionary and Handbook*, it was surveyed by the Council and was reported to the VCRP. CIR staff has formally added this ingredient to this safety assessment, bringing the total number of ingredients in the report to 48 instead of 47.


Since June, no new unpublished data have been received. Comments provided by Council on the draft tentative and tentative reports have been considered. The comments are included in this report package (*cpeels092016pcpc1-2*).

The Panel should carefully review the abstract, discussion, and conclusion of this report and issue a Final Safety Assessment.

SAFETY ASSESSMENT FLOW CHART

INGREDIENT/FAMILY Citrus Peel-Derived Ingredients

MEETING Sept 2016



Citrus Peel-Derived Ingredients History

December 2013 – Scientific Literature Review announced.

March 2014 - The Panel tabled further discussion of 198 citrus-derived ingredients to allow CIR staff to reorganize the report and to obtain clarification from RIFM on the functions of some of the ingredients. These ingredients were presented in a single safety assessment report addressing ingredients from all of the citrus plant species currently reported to be used in cosmetics in the International Cosmetic Ingredient Dictionary and Handbook. The Panel felt revising this report into smaller subgroups would be a manageable and meaningful alternative approach to assessing the safety of these ingredients. Based on the Panel's recommendation of grouping the ingredients by plant parts according to greatest number of uses, the first assessment reviewed by the Panel was citrus-derived peel oils, followed by citrus fruit-derived ingredients.

September 2015 – The Panel reviewed the report strategy for the remaining citrus ingredients. The Panel agreed that the remaining ingredients could be divided into 3 reports: citrus flower- and leaf-derived ingredients, citrus peel-derived ingredients, and citrus plant- and seed-derived ingredients. These reports can be reviewed concurrently.

December 2015 - The CIR Expert Panel requested additional data to support the safety of the 47 *Citrus* peel-derived ingredients. The additional data needed are:

- Method of manufacturing
- Chemical composition and impurities
- Irritation and sensitization, especially human repeated insult patch tests (HRIPT) on citrus aurantium dulcis (orange) peel extract, citrus grandis (grapefruit) peel extract, citrus limon (lemon) peel extract, and citrus unshiu peel extract at maximum use concentrations or greater.

June 2016 - The Panel issued a tentative report with the conclusion that the *Citrus* peel-derived ingredients are safe for use in both rinse-off and leave-on cosmetic products when formulated to be non-sensitizing and non-irritating, provided that leave-on products do not contain more than 0.0015% (15 ppm) 5-MOP.

Post-June 2016 - Citrus Aurantium Amara (Bitter Orange) Peel Wax was formally added to this safety assessment, bringing the total number of ingredients in the report to 48 instead of 47.

| Citrus Peel-Derived Ingredients Data Profile – September 2016 – Writer, Christina Burnett | | | | | | | | | | | |
|---|--------|------------------------------|-------------------------|------------------------|--------------|-----------------|-------------------------------------|-------------------------------------|----------------|---------------|--------------|
| | In-Use | Physical/Chemical Properties | Method of Manufacturing | Composition/Impurities | Genotoxicity | Carcinogenicity | Irritation/Sensitization - Nonhuman | Irritation/Sensitization - Clinical | Ocular/Mucosal | Phototoxicity | Case Studies |
| Citrus Aurantifolia (Lime) Peel Extract | X | | | X | | | | X | | | |
| Citrus Aurantifolia (Lime) Peel Powder | X | | | | | | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel | X | | | | | | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | X | | X | X | | | X | X | X | X | |
| Citrus Aurantium Amara (Bitter Orange) Peel Powder | X | | | | | | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Wax | X | | | | | | | | | | |
| Citrus Aurantium Bergamia (Bergamot) Peel Water | X | | | | | | | | | | |
| Citrus Aurantium Dulcis (Orange) Peel Extract | X | | | | | | | | | | |
| Citrus Aurantium Dulcis (Orange) Peel Powder | X | | | | | | | | | | |
| Citrus Aurantium Dulcis (Orange) Peel Wax | X | X | X | X | | | X | X | | X | |
| Citrus Aurantium Tachibana Peel Extract | X | | | | | | | | | | |
| Citrus Depressa Peel Extract | X | | | | | | | | | | |
| Citrus Grandis (Grapefruit) Peel Extract | X | | | | | | | X | | | |
| Citrus Jabara Peel Extract | X | | | | | | | | | | |
| Citrus Junos Peel Extract | X | | | | | | | | | | |
| Citrus Junos Peel Powder | X | | | | | | | | | | |
| Citrus Limon (Lemon) Peel | X | | | | | | | | | | |
| Citrus Limon (Lemon) Peel Extract | X | | | | | | | X | X | | |
| Citrus Limon (Lemon) Peel Powder | X | | | | | | | | | | |
| Citrus Limon (Lemon) Peel Wax | X | | | | | | | | | | |
| Citrus Nobilis (Mandarin Orange) Peel Extract | X | | | | | | | | | | |
| Citrus Paradisi (Grapefruit) Peel Extract | X | | | | | | | | | | |
| Citrus Reticulata (Tangerine) Peel Extract | X | | X | X | X | | X | X | X | X | |
| Citrus Tangerina (Tangerine) Peel Extract | X | | | | | | | | | | |
| Citrus Unshiu Peel Extract | X | | X | X | | | | X | | | |
| Citrus Unshiu Peel Powder | X | | | | | | | | | | |
| | | | | | | | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Wax (not INCI ingredient) | X | | | | | | | | | | |
| Citrus Medica Limonum (Lemon) Peel Wax | X | | | | | | | | | | |
| Citrus Tachibana (Tachibana) Peel Extract | X | | | | | | | | | | |
| lemon peel juice | | | | | | | | | | X | |
| orange peel (generic, not INCI ingredient) | X | | | | | | | | | | |
| NO USES OR DATA WERE AVAILABLE FOR THE REMAINING CITRUS INGREDIENTS LISTED IN TABLE 1. | | | | | | | | | | | |

“X” indicates that data were available in the category for that ingredient.

Search Strategy for Citrus Peel-Derived Ingredients

- August 2014 – miscellaneous searches for additional data on constituents
- Scifinder – February 26, 2013
 - Search for INCI citrus ingredients w/ CAS No. – 99 hits, 10 ordered
- PubMed – March 5, 2013
 - Search for “citrus cosmetics” – 65 hits, 1 ordered
 - Search for “citrus sensitization” – 36 hits, 8 ordered
 - Search for “citrus dermal” – 12 hits, 0 ordered
 - Search for “citrus phototoxicity” – 24 hits, 10 ordered
- SciFinder – Aug 19 2013
 - toxicity of citrus ingredients – 11 hits; 1 ordered
 - carcinogenicity of citrus – 466 hits; 8 ordered
- SciFinder – Aug 20, 2013
 - Phototoxicity of citrus – 47 hits; 21 ordered
 - Dermal effects of citrus – 51 hits; 1 new ref found
 - Dermal absorption of citrus – 1 hit; not useful
 - Constituents of citrus – 116 hits;
 - Citrus – Belsito, Marks, Bergfeld, Api, RIFM– 2 found

Ordered a few others; printed some directly

Updated searches in November, 2013 – ordered an additional 4 references

Updated searches July 2015 with the term “citrus” – 1 new relevant reference found.

Updated searches October 2015 with the term “citrus AND peel NOT oil”– 0 new relevant references found.

Updated searches February-May 2016 with the term “citrus peel composition NOT oil” – 52 hits, 5 relevant references found (many returns still were on peel oils).

Updated searches August 1, 2016.

Online Info

- FDA
 - GRAS definitions
- Dr. Duke’s Phytochemical and Ethnobotanical Databases
 - Due to volume of data, limited search to Citrus limon (Lemon), Citrus aurantifolia (Lime), Citrus paradisi (Grapefruit), Citrus sinensis (Sweet Orange), and Citrus aurantium (Bitter Orange)
- National Toxicology Program (NTP)
 - Bitter Orange Extract (mixture)
- SCCS/SCCP
 - Opinion on fragrance allergens in cosmetic products
 - Opinion on Furocoumarins in cosmetic products
- Sigma Aldrich
 - Citrus aurantiifolia (lime)
 - Citrus aurantium (bitter orange)
 - Citrus paradisi (grapefruit)
 - Citrus reticulata (tangerine)
- IFRA
 - 7-methoxycoumarin
 - Standard for citrus oils and other furocoumarins containing essential oils. Ingredients include:

Citrus Peels-Derived Ingredients
June 6-7, 2016

Dr. Marks' Team

DR. MARKS: Next, we have citrus peels. This is a draft tentative report of the safety assessment of citrus peels. In December of last year, we issued an insufficient data announcement for the 47 citrus peel derived ingredients, method of manufacturing, chemical composition and impurities, and irritation and sensitization, especially HRIPT on several ingredients.

We received a number of data, and at this point, Ron, Ron, and Tom, are we okay at this point?

DR. SLAGA: The peel oil were safe, right?

MS. BURNETT: The peel oils were -- non-irritating, non-sensitizing.

DR. MARKS: We don't have any --

DR. SLAGA: We have negativity on phototoxicity.

MS. BURNETT: The volatile constituents, lime peel extract, there is 1.14 percent 5-MOP in it.

DR. HILL: We flagged lime peel before when we talked about these, didn't we?

MS. BURNETT: Yes. A nice little rash.

DR. MARKS: Phototoxic rash. I thought for safety sake, limit in this case, the 15 parts per million of 5-MOP, it would not contain more.

Again, even though we had the caveat of botanicals, be careful about mixing them, so are we moving tomorrow -- let me hear comments about method of manufacturing, chemical composition and impurities, did you feel that was okay? I thought sensitization and irritation were okay at this point.

DR. HILL: The thing that bothered me is pretty much all the data we have is either for pure extracts or pure wax, so when you have extract, you are not looking at the whole peel any more. Depending on how you extract, what you are actually looking at can vary a lot.

For me, I thought we probably have enough to go for all the peel extracts, but I still would like to see method of manufacture for every last one of these ingredients enough to have some idea what you are looking at when we try to read across. We have it for a few extracts and wax, and nothing else.

Powder is self-evident from the definitions, but then we have no data on peel powders, and since we know there can be a difference between lime peel -- that is the only one we think we have to worry about, we are good with grapefruit and all the varieties of orange and tangerine? There are more than seven this time.

DR. MARKS: Ron, Tom?

DR. SLAGA: I really didn't have any problem with it. I think we have most of the data.

DR. MARKS: Ron Shank?

DR. SHANK: I have no concern if they are not, some are, I don't know if all of them are. I'd like FDA to respond to that.

MS. BURNETT: We're going to talk --

DR. MARKS: Does that mean, Ron Shank, and I will get back, Ron Hill, to you, does that mean we should not issue a tentative report with the 47 ingredients safe when formulated to be non-irritating, non-sensitizing, leave on products don't contain more than 15 parts per million of 5-MOP? Should we have a different tentative report or in our discussion just ask to clarify GRAS between now and when we see the tentative report?

DR. SHANK: I would like clarification from FDA, that that is not needed, and I want to hear why.

DR. MARKS: That would be the same as before, GRAS, food additive. Is that enough to prevent from moving on with a tentative report with a conclusion, or do you want -- it would be a conclusion, either insufficient or safe.

DR. HILL: The read across to the lime peel powder, which I know there is an issue with lime peels. I think I could be comfortable with lime peel water because I am pretty clear where that comes from, method of manufacture, then the constituents that cause the problem with lime peels in particular -- I am wondering how you read across to something like lime peel powder and feel comfortable.

Of these 10 that are not in use, I don't know what a number of these citrus are, maybe we talked about this last time, but I forget.

DR. MARKS: So, what are you concerned about, Ron Hill, for the lime peel powder?

DR. HILL: The same thing I would be concerned about with lime peel, except of course, the concentrations are low. Shouldn't be a problem, I think.

DR. MARKS: Is it mainly irritation and sensitization and phototoxicity?

DR. HILL: I suppose it would be, so you are putting limits in there to protect for that. I think that is probably all right. I asked the question how do you read across.

DR. MARKS: Do you want me tomorrow morning, Ron Shank -- are you okay with moving a tentative report that the ingredients are safe when formulated with non-irritating and non-sensitizing, limit to 5-MOP, but we want clarification of the GRAS? Is that okay? I'll probably ask you to comment on it, if that is okay.

DR. SHANK: Okay.

DR. MARKS: Does that sound fine to the team? Since I'll be moving, and then we will see where it goes with the Belsito team. I'll put the caveat in that we would like clarification on GRAS food additive status and ask you to comment, or would you prefer insufficient until we find out the clarification of GRAS food additive status? We could go either way.

DR. SHANK: It's a tentative report.

DR. MARKS: Yes. So, move for safe?

DR. SHANK: Safe.

DR. MARKS: I think we put it as GRAS and food.

DR. SHANK: Right.

DR. MARKS: That will encompass international, because GRAS, as you mentioned earlier, is an U.S. --

DR. ANSELL: Subset.

DR. MARKS: Yes.

DR. ANSELL: Of materials, which were not reviewed but were in common usage before, so really we are interested in is food use. There are a lot of different ways of getting at that, including direct additives, secondary direct additives, indirect additives, GRAS status, items of commerce.

DR. MARKS: Okay.

MS. DEWAN: We should have a lot of data on citrus.

DR. HILL: We don't have method of manufacture on lime peel extract, do we? We do have composition and impurities. That is probably okay. I was looking at high concentrations of use there, which is 2 percent.

Dr. Belsito's Team

DR. BELSITO: Okay, continuing with the citrus, we're now on the peel- derived ingredients. Again, insufficient for 47 at our December 2015 meeting. And there was discussion about the groupings in this report because there are waxes and oils. And also some water extracts that we thought could have different constituents. We want a method of manufacturing, composition, and impurities. Depending upon that genotox, phototoxicity, and irritation sensitization. We got for some of these ingredients -- we got, again, updated frequencies of use which showed that some of them that were used at higher concentrations were in fact not used at those concentrations. That was probably the biggest change that we got here.

And I'm still not certain that the waters belong with this report because they really are very different from the waxes and oils in terms of composition, but I throw that back to Dan.

DR. LIEBLER: Well, we do have somewhat dissimilar things in all of these reports. I think the fact that they're from the peels is more important than the fact that the waters are kind of aqueous solutions or suspensions of peel ingredients that are different from oils. So I'm -- I fell on the side of keeping them in.

DR. BELSITO: Okay, and then Christina, on page 22 of the PDF, I think you just carried this over from the flower and leaf-derived ingredients. But the second paragraph up from the bottom.

DR. SNYDER: Under what section?

DR. BELSITO: This is under -- again, I'm not seeing full pages here. It's under the introduction and it's the fourth paragraph or the third paragraph below where we list all the ingredients. So it was just a -- you carried over four of the citrus flower and leaf-derived ingredients when we're looking at peel ingredients. And this report are reported to function. So this is peel, not flower and leaf. So that needs to be corrected. But then, the question becomes, did you ask RIFM whether in fact those peel-derived ingredients were also being reviewed and was their answer, no, that they're not. So that's why we're keeping them in here. Or did you simply ask them about the flower and leaf-derived ingredients?

MS. BURNETT: We sent them the master list of citrus ingredients (inaudible).

DR. BELSITO: Okay, so they also said that these were not being reviewed as fragrances?

MS. BURNETT: Right, --

DR. BELSITO: Okay, --

MS. BURNETT: -- it was copy, paste and forgot to edit here.

DR. BELSITO: -- just making sure.

MS. BURNETT: Nope, you're --

DR. BELSITO: Keeping us honest as someone on CNN would say.

Then in terms of what we had asked for, we don't have method of manufacture for any of the peel waters or peel wax.

MS. BURNETT: We have one peel wax, the dulcis (inaudible TRACK 4 -).

DR. EISENMANN: Is the method of manufacture the waters --

DR. BELSITO: Yep.

DR. EISENMANN: -- as a general method that when you make your -- as you know, when you make essential oil you -- the oil comes up --

DR. BELSITO: Right.

DR. EISENMANN: -- and that's the -- and the water -- that's the water.

DR. BELSITO: Okay.

DR. EISENMANN: That's the method. I mean if you can get that method of manufacture as a general information in the dictionary under the description of how waters are made. Rather we -- I don't think that a specific method is necessary.

DR. LIEBLER: Can we at least just --

DR. BELSITO: Well, could we at least --

DR. LIEBLER: -- incorporate that?

DR. BELSITO: -- describe it?

DR. LIEBLER: Yep.

DR. EISENMANN: Yeah, the general information --

DR. BELSITO: Yeah.

DR. EISENMANN: -- that's in the dictionary on how waters are made, yes.

DR. BELSITO: Yeah, so to me I think that needs to be included so we have a sentence.

DR. EISENMANN: In other words, I don't have to ask each company that -- to try to come up with a method of manufacture.

DR. BELSITO: Right.

DR. LIEBLER: I would default to asking them and if they --

DR. EISENMANN: Why?

DR. LIEBLER: -- don't, we can decide whether we --

DR. EISENMANN: I have asked.

DR. LIEBLER: -- can take the generic --

DR. EISENMANN: You see, part of the problem is these ingredients have fairly low use ingredients.

DR. LIEBLER: Uh-huh.

DR. EISENMANN: And so they're not responding.

DR. LIEBLER: Well I didn't know if you were saying --

DR. EISENMANN: I've asked.

DR. LIEBLER: -- I've never ever asked for a water again.

DR. EISENMANN: No, no, no --

DR. LIEBLER: Okay.

DR. EISENMANN: -- I always ask, but you know.

DR. LIEBLER: Good, always ask.

DR. BERGFELD: I'm just going to ask you a question. When you ask, you bullet your request so that they can check them off and give them to you or you put them in a paragraph?

DR. EISENMANN: No, I bullet them. I do it as they are written in the CIR report.

DR. BERGFELD: Which part? In the summary that the writer does on what is needed? Those are bulleted.

DR. EISENMANN: Sometimes I do it --

DR. BERGFELD: But not in --

DR. EISENMANN: -- as it's written up in the post-meeting announcement so I can get it out as quick as I can get it out. And that's usually how it appears in the --

DR. BERGFELD: I haven't seen those. Are they bulleted?

DR. EISENMANN: Usually.

DR. BERGFELD: Because if you give them a checklist sometimes they can respond easier.

DR. EISENMANN: Yes, some -- yes, I -- some -- but they either respond -- sometimes they respond that way and sometimes they don't respond at all.

DR. BELSITO: Okay, and then I guess I had a -- actually a question about the method of manufacture for the wax rather than saying we didn't have the method of manufacture. So under the dulcis orange peel wax you then go on to say the deodorization process removes all turpines and most of the essential oil components. So if that's the case in fact it removes everything that I'd be concerned about in terms of skin sensitization, is this deodorization process done for all waxes? I mean it -- because how do you have a wax --

DR. EISENMANN: I don't know that.

DR. BELSITO: -- without an oil? Aren't waxes just solidified oils?

DR. EISENMANN: Well, wax would be long-chain triglycerides whereas essential oil is not. It is --

DR. BELSITO: Okay.

DR. EISENMANN: -- other oil-soluble materials. So they're taking that.

DR. BELSITO: Oh, okay, --

DR. EISENMANN: So it's --

DR. BELSITO: -- so it's just essential oil components.

DR. EISENMANN: Right.

DR. BELSITO: Okay, so the ones that I'd be concerned about should not theoretically be -- all waxes would be deodorized?

DR. EISENMANN: I wouldn't say yes to that because I don't know.

DR. BELSITO: Okay.

DR. BERGFELD: Would you want to put that in your discussion then that they should be removed?

DR. BELSITO: No, I mean I -- you know, as long as their concentration is below any level that we're concerned about. It's just that I wanted to get clear in my mind whether every time I see wax --

DR. BERGFELD: Right.

DR. BELSITO: -- it's been deodorized and, therefore, I'm not really concerned about what could be in it. Okay, so then we don't have impurities for the powder or the water. And do we need these? And we don't have a method of manufacture for the waters either other than --

DR. BERGFELD: Carol was going to do them.

DR. BELSITO: -- this general one that we're being told is what's left off after you distill the essential oils off.

MS. BURNETT: Yes, we don't have one for the powder.

DR. BELSITO: Pardon?

MS. BURNETT: We don't have a method of manufacturing for the powder --

DR. BELSITO: Right.

MS. BURNETT: -- other than by what's in the definition.

DR. BELSITO: Right.

DR. LIEBLER: Is the powder have high use? I'm trying to remember. I'm scrolling down. Or does the powder have uses? Lime does, three uses.

MS. BURNETT: Bitter orange.

DR. SNYDER: Would it be expected to be bitter orange has two? Would it be expected to be different from the peel extract?

DR. LIEBLER: I think it would be very similar.

DR. SNYDER: (inaudible) So I think we could just --

DR. LIEBLER: Yeah, dulcis has 11. I mean we -- honestly we have only a sparse representation of the impurities for these ingredients. On the other hand, this sparse representation indicates a pretty uniform low level of things that we would be concerned with; heavy metals and so forth. So I'm -- I guess --

DR. BELSITO: But that would be part of our botanical boilerplate anyway.

DR. LIEBLER: Right, and so my level of concern is low. I didn't even note that in my comments on the report. So I guess that's a long way of saying no, we don't need more.

DR. BELSITO: Paul, Curt?

DR. SNYDER: Yeah, I mean that's the way I look at it. I thought that the peel extract was -- and the other one that was, you know, two tables I think that had (inaudible) composition that were -- there was nothing there that was really standing out and would be sufficient for all of them. Particularly at the 0.06 for the powder.

DR. KLAASSEN: No, I think we're fine.

DR. SNYDER: And the powders aren't in use anyway. It looks like some of them.

DR. BELSITO: Mm-hmm. Okay, so in the discussions, since these are coming from peels and that's where the methoxypsoralens are seen, we definitely need to put it -- that back into this report. Botanical boilerplate, the non-sensitizing boilerplate. And I thought we could go safe with botanical non-sensitizing boilerplate for these.

DR. LIEBLER: I agree.

DR. SNYDER: I agree.

DR. BELSITO: Anything else in the discussion that we need to point out other than the methoxypsoralen from peels?

DR. LIEBLER: I added a few bullets. Many differences potentially due to species, cultivars, growth conditions, extraction, preparation, the weight of evidence suggests consistent lack of irritation sensitization across multiple test methods and ingredients including at maximum use concentrations.

DR. BELSITO: Okay, anything else? Anyone?

DR. KLAASSEN: That's good.

DR. BELSITO: Okay, so Carol you're going to just get some generic statement as to how these waters are made and then that can be put into the method of manufacture. And we'll go safe as used when formulated to be non-sensitizing with the usual botanical boilerplates in the discussion. Okay.

MS. BURNETT: Irritating and sensitizing, non-irritating and non-sensitizing caveat for the conclusion?

DR. BELSITO: No, the botanicals have always been just non-sensitizing, right?

DR. BERGFELD: It's not most.

MS. BURNETT: The other citrus that we have already looked at have both non-irritants --

DR. BELSITO: Irritants from --

MS. BURNETT: -- non-sensitizing --

DR. BELSITO: Yeah.

MS. BURNETT: -- with the caveat on the (inaudible).

DR. BELSITO: Okay, yeah, sure. On -- and that's unsure since we're -- yeah, the caveat. Yeah, okay, fine.

MS. BURNETT: Okay, just to clarify.

DR. BELSITO: Yes, yeah, because of the phototoxicity of the methoxypsoralen, that's perfect.

Full Panel Meeting

DR. BERGFELD: Moving on to Dr. Marks and on citrus peels.

DR. MARKS: At the December meeting we issued insufficient data announcements for these 47 citrus-peel derived ingredients. And we received a lot of information. And our team felt that we could move forward now with a tentative report. So this is a motion that the 47 ingredient -- peel ingredients in this report are safe when formulated to be nonirritating and nonsensitizing, and the leave-on products don't contain more than 15 parts per million of (inaudible). Actually, that can be expanded slightly, I know, in the previous citrus conclusion.

DR. BELSITO: Second.

DR. BERGFELD: Any other discussion?

DR. BELSITO: Obviously, the botanical boilerplate and the methoxypsoralen restriction you're putting in the conclusion as well.

DR. MARKS: Correct.

DR. BELSITO: Okay.

DR. MARKS: Yes.

DR. BERGFELD: That's agreeable -- in the conclusion?

DR. MARKS: Yes, that's how it was in the previous (inaudible).

DR. BERGFELD: Okay.

DR. MARKS: So it essentially being a repetition of that conclusion carrying on our theme of the citrus ingredients.

DR. BERGFELD: Okay. Dan, do I see you wanting to make a comment?

DR. LIEBLER: No.

DR. BERGFELD: No. Okay. Call the question, and all those in favor of safe? Unanimous.

Safety Assessment of *Citrus* Peel-Derived Ingredients as Used in Cosmetics

Status: Draft Final Report for Panel Review
Release Date: September 2, 2016
Panel Meeting Date: September 26-27, 2016

The 2016 Cosmetic Ingredient Review Expert Panel members are: Chairman, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; Ronald A. Hill, Ph.D.; Curtis D. Klaassen, Ph.D.; Daniel C. Liebler, Ph.D.; James G. Marks, Jr., M.D., Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. The CIR Director is Lillian J. Gill, D.P.A. This report was prepared by Christina Burnett, Senior Scientific Analyst/Writer.

Cosmetic Ingredient Review

1620 L Street NW, Suite 1200 ♦ Washington, DC 20036-4702 ♦ ph 202.331.0651 ♦ fax 202.331.0088 ♦
cirinfo@cir-safety.org

ABSTRACT

The Cosmetic Ingredient Review (CIR) Expert Panel (Panel) assessed the safety of 48 *Citrus* peel-derived ingredients, which are most frequently reported to function in cosmetics as skin conditioning agents. The Panel reviewed the available data to determine the safety of these ingredients. Because final product formulations may contain multiple botanical ingredients, each containing similar constituents of concern, formulators are advised to be aware of these constituents and to avoid reaching levels that may be hazardous to consumers. Industry should use good manufacturing practices to limit impurities that could be present in botanical ingredients. The Panel concluded that *Citrus* peel-derived ingredients are safe for use in both rinse-off and leave-on cosmetic products when formulated to be non-sensitizing and non-irritating, provided that leave-on products do not contain more than 0.0015% (15 ppm) 5-methoxypsoralen (5-MOP).

INTRODUCTION

Citrus peel-derived ingredients are most frequently reported to function in cosmetics as skin conditioning agents, according to the *International Cosmetic Ingredient Dictionary and Handbook (Dictionary)* (Table 1).¹ *Citrus Aurantium* (Bitter Orange) Peel Wax is not currently listed in the *Dictionary*, but has been included in this safety assessment because uses have been reported to the Food and Drug Administration (FDA) Voluntary Cosmetic Registration Program (VCRP) database and it is presumed to be similar to the other ingredients in this report. This report assesses the safety of the following 48 ingredients:

| | |
|---|---|
| Citrus Aurantifolia (Lime) Peel | Citrus Jabara Peel Extract |
| Citrus Aurantifolia (Lime) Peel Extract | Citrus Jabara Peel Powder |
| Citrus Aurantifolia (Lime) Peel Powder | Citrus Jabara Peel Water |
| Citrus Aurantifolia (Lime) Peel Water | Citrus Junos Peel Extract |
| Citrus Aurantium Amara (Bitter Orange) Peel | Citrus Junos Peel Powder |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | Citrus Junos Peel Water |
| Citrus Aurantium Amara (Bitter Orange) Peel Powder | Citrus Limon (Lemon) Peel |
| Citrus Aurantium Amara (Bitter Orange) Peel Wax | Citrus Limon (Lemon) Peel Extract |
| Citrus Aurantium Bergamia (Bergamot) Peel Water | Citrus Limon (Lemon) Peel Powder |
| Citrus Aurantium Dulcis (Orange) Peel Extract | Citrus Limon (Lemon) Peel Water |
| Citrus Aurantium Dulcis (Orange) Peel Powder | Citrus Limon (Lemon) Peel wax |
| Citrus Aurantium Dulcis (Orange) Peel wax | Citrus Natsudaidai Peel Extract |
| Citrus Aurantium Sinensis Peel Extract | Citrus Nobilis (Mandarin Orange) Peel Extract |
| Citrus Aurantium Tachibana Peel Extract | Citrus Nobilis (Mandarin Orange) Peel Powder |
| Citrus Depressa Peel Extract | Citrus Paradisi (Grapefruit) Peel Extract |
| Citrus Depressa Peel Powder | Citrus Reticulata (Tangerine) Peel Extract |
| Citrus Grandis (Grapefruit) Peel | Citrus Reticulata (Tangerine) Peel Powder |
| Citrus Grandis (Grapefruit) Peel Extract | Citrus Shunkokan Peel Extract |
| Citrus Grandis (Grapefruit) Peel Powder | Citrus Sunki Peel Extract |
| Citrus Hassaku/Natsudaidai Peel Powder | Citrus Tachibana/Reticulata Peel Powder |
| Citrus Iyo Peel Extract | Citrus Tangelo Peel Powder |
| Citrus Iyo Peel Water | Citrus Tangerina (Tangerine) Peel |
| | Citrus Tangerina (Tangerine) Peel Extract |
| | Citrus Unshiu Peel Extract |
| | Citrus Unshiu Peel Powder |
| | Citrus Unshiu Peel Water |

The Panel has previously reviewed the safety of *Citrus*-derived peel oils and *Citrus* fruit-derived ingredients in separate assessments and concluded that 14 *Citrus*-derived peel oil ingredients and 80 *Citrus* fruit-derived ingredients are safe for use in both rinse-off and leave-on cosmetic products when formulated to be non-sensitizing and non-irritating, provided that leave-on products do not contain more than 0.0015% (15 ppm) 5-methoxypsoralen (5-MOP).^{2,3} The Panel is concurrently reviewing the safety of *Citrus* flower- and leaf-derived ingredients and *Citrus* plant- and seed-derived ingredients in separate reports.

Some of the *Citrus* peels that are used to derive the ingredients described in this safety assessment are consumed as food. The U.S. Food and Drug Administration (FDA) determined that the use of some *Citrus* peels as direct food substances are generally recognized as safe (GRAS). Additionally, essential oils, oleoresins (solvent-free), and natural extracts (including distillates) derived from some *Citrus* peels are GRAS for their intended use in foods for human and animal consumption. Daily consumption of these GRAS foods would result in much larger systemic exposures than what is expected from use in cosmetic products, even if there was 100% absorption from cosmetics. Thus, the systemic toxicity

potential of *Citrus* peel-derived ingredients via oral exposure is not addressed further in this report. The primary focus of this safety assessment is the review of the safety of topical exposure.

To avoid redundancy, CIR has the option to exclude ingredients that are known to exclusively function as fragrance ingredients, because the safety of fragrance ingredients is commonly evaluated by the Research Institute for Fragrance Materials (RIFM). According to the *Dictionary*, four of the *Citrus* peel-derived ingredients in this report are reported to function exclusively as fragrance ingredients (see Table 2).¹ However, personal communications with RIFM in March 2015, revealed that these ingredients have neither been assessed for safety by the RIFM expert panel, nor are these ingredients on RIFM's prioritized agenda to be reviewed in the foreseeable future. Thus CIR is reviewing the safety of these ingredients as part of this current assessment.

Botanical ingredients are complex mixtures of many constituents, some of which have the potential to cause toxic effects; for example, bergapten (aka 5-methoxysporalen or 5-MOP) is a naturally-occurring phototoxic furanocoumarin (psoralen) in some *Citrus* ingredients. In this assessment, CIR is reviewing the potential toxicity of each *Citrus* peel-derived ingredient as a whole, complex substance. Except for specific constituents of concern that the Panel has identified, CIR is not reviewing the potential toxicity of the individual constituents of the *Citrus* peels from which the ingredients in this report are derived.

Note: In many of the published studies included in this assessment, the information provided is not sufficient to determine how well the substance being tested represents the cosmetic ingredient. In this safety assessment, if a substance tested in a study is not clearly a cosmetic ingredient, because of lack of information on the genus and species from which the substance was derived and/or the method of extraction used, the test substance will be referred to by a common name (e.g. sweet orange peel extract). If the substance is clearly a cosmetic ingredient, the International Nomenclature of Cosmetic Ingredients (INCI) name will be used (e.g. "Citrus Aurantium Dulcis (Orange) Peel Extract"). Additionally, some inconsistencies were noted in both taxonomic and INCI naming conventions. For example, this report includes the sweet orange ingredient described as *Citrus Aurantium Dulcis* (Orange) in the *Dictionary*.¹ In contrast, most of the published literature and the FDA VCRP refer to this ingredient as *Citrus Sinensis* (sweet Orange). Another example of a naming inconsistency is *Citrus Grandis* (Grapefruit); *Citrus grandis* is generally considered a name for a pummelo, which may also be referred to as *Citrus maxima*. *Citrus paradisi* appears to be the more widely accepted nomenclature for grapefruit. The INCI Committee of the Personal Care Products Council (Council) is working to correct some of these inconsistencies. The genus and species names associated with the ingredient names designated by the INCI Committee are listed in Table 3.⁴

CHEMISTRY

The definitions and functions of the citrus-derived ingredients included in this report are provided in Table 1. The definition indicates the part(s) of the plant from which an ingredient is obtained. In some cases, the definition provides insight on the method(s) of manufacture.

Physical and Chemical Properties

Physical and chemical properties of *Citrus Aurantium Dulcis* (Orange) Peel Wax are provided in Table 4.

Method of Manufacturing

According to the *Dictionary*, essential oils and waters are prepared from leaves, stems, flowers, bark, roots, or other parts of a plant or the whole plant.⁵ Essential oils are prepared by a number of processes including, but not limited to, steam or dry distillation, flash pasteurization and mechanical processes such as cold-pressing; however, the most widely used method for preparing essential oils from plants is steam distillation. The condensate from steam distillation produces two distinct fractions that contain the volatile ingredients from the plant. The water insoluble fraction contains the "oil." The water soluble fraction contains constituents of the plant that are water soluble. The name assigned to the water insoluble fraction from steam distilled plant materials includes the term "oil" in the INCI name. The water soluble fraction from the steam distilled plant material includes the term "water" in the INCI name.

***Citrus Aurantium Amara* (Bitter Orange) Peel Extract**

A supplier reported that its *Citrus Aurantium Amara* (Bitter Orange) Peel Extract products are produced by extracting dried raw peels from *Citrus aurantium amara* with an ethanol solution.⁶ The resultant materials then undergo filtration, concentration, sedimentation, and adjustment before packaging. One product (a powdered form) has anhydrous sodium sulfate added as a vehicle prior to packaging.

Another supplier reported that its products are produced by extracting ripe pericarp from *Citrus aurantium* Linne (Rutaceae) with either an ethanol or a 1,3-butylene glycol solution and then filtering the extract.⁷

***Citrus Aurantium Dulcis* (Orange) Peel Wax**

According to data provided by a supplier, *Citrus Aurantium Dulcis* (Orange) Peel Wax is a by-product from orange essential oil and orange juice production.⁸ *Citrus Aurantium Dulcis* (Orange) Peel Wax is obtained by distillation of citrus terpenes and orange essential oil from orange fruit peels. The crude wax is processed by physical methods only, and is

further refined with various absorbents and filtration. The deodorization process removes all terpenes and most of the essential oil components.

Citrus Reticulata (Tangerine) Peel Extract

A supplier reported that Citrus Reticulata (Tangerine) Peel Extract is produced through the hydroalcoholic extraction of tangerine peel, which is then concentrated until it contains at least 98% of the flavonoid luteolin.⁹ The resultant product is a powder.

Another supplier reported that its products are produced by extracting ripe peels of *Citrus reticulata* Blanco (Rutaceae) with either an ethanol solution or 1,3-butylene glycol solution and then filtering.⁷

Citrus Unshiu Peel Extract

According to a supplier, Citrus Unshiu Peel Extract is obtained by maceration of fine-cut *Citrus unshiu* peel in water and ethanol.¹⁰ The resultant product is filtered and dried. Another supplier reports that its Citrus Unshiu Peel Extract products are produced by extracting dried raw peels with either an ethanol solution or a 1,3-butylene glycolic solution.⁶ The resultant materials undergo various forms of filtration, concentration, sedimentation, and adjustment before packaging. One product (a powdered form) has anhydrous sodium sulfate added as a vehicle prior to packaging, while another has squalene added.

Constituents/Composition

The *Citrus* ingredients are complex botanicals made of numerous constituents. Table 5 lists *Citrus* constituents that are known or recognized contact allergens, according to the European Commission's Scientific Committee on Consumer Safety (SCCS).¹¹

Citrus Aurantifolia (Lime) Peel Extract

The volatile constituents of the hexane extract of *Citrus aurantifolia* are listed in Table 6.

Citrus Aurantium Amara (Bitter Orange) Peel Extract

A supplier reported that their Citrus Aurantium Amara (Bitter Orange) Peel Extract products contain flavonoids, sugar, and/or hesperidin.⁶

A supplier of a product containing 1.55% Citrus Aurantium Amara (Bitter Orange) Peel Extract, 25.81% alcohol, and 72.64% water stated that the product contained 2.8 ppm 5-MOP.⁷ No other analysis was performed on this product. The same supplier has a product containing 2.0% Citrus Aurantium Amara (Bitter Orange) Peel Extract, 29.4% butylene glycol, and 68.6% water.

Citrus Aurantium Dulcis (Orange) Peel Wax

Based on data provided by a supplier, Citrus Aurantium Dulcis (Orange) Peel Wax is a water-free substance unlikely to be contaminated by microorganisms (bacteria, yeast, or fungi) because of the high temperature, filtration, and absorbents used during processing.⁸

The provided data indicate that Citrus Aurantium Dulcis (Orange) Peel Wax consists of approximately 60% esters (C42-C60), 18% phytosterols (beta-sitosterol, stigmaterol), 3% sterol esters, 8% free fatty acids, 5% hydrocarbons, and 4% free fatty alcohols.⁸ Approximately 50% of Citrus Aurantium Dulcis (Orange) Peel Wax consists of unsaturated monoesters of unsaturated fatty acids and long-chain alcohols, with the fatty acids consisting mostly of linoleic, oleic, linolenic, arachidic, and erucic acids.¹² The fatty alcohol portion of the ester is mostly dotriacontanol (C32) and tetratriacontanol (C34).

Table 7 and Table 8 present additional chemical composition data on Citrus Aurantium Dulcis (Orange) Peel Wax.

Citrus Reticulata (Tangerine) Peel Extract

A supplier of a product containing 3.06% Citrus Reticulata (Tangerine) Peel Extract, 25.41% alcohol, and 71.53% water reported that its product did not contain furanocoumarins.⁷ Another product of this supplier contained 3.0% Citrus Reticulata (Tangerine) Peel Extract, 29.1% water, 67.9% butylene glycol, and no furanocoumarins. No further composition data were provided on these products.

Citrus Unshiu Peel Extract

According to a supplier, Citrus Unshiu Peel Extract is composed of pectin, peptides and amino acids, essential oils, phenolic acids, flavonoids (flavonols, flavones, flavonones), carotenoid pigment, and tocopherol analogues.¹⁰ Another supplier reports that its Citrus Unshiu Peel Extract products contain flavonoids, sugar, and/or hesperidin.⁶ One product was reported to contain essential oil component (no further details provided).

Impurities

Citrus Aurantium Amara (Bitter Orange) Peel Extract

A supplier reports that its Citrus Aurantium Amara (Bitter Orange) Peel Extract products contain no more than 20 ppm heavy metals (one product not more than 10 ppm) and no more than 2 ppm arsenic.⁶

Citrus Aurantium Dulcis (Orange) Peel Wax

According to data provided by a supplier of Citrus Aurantium Dulcis (Orange) Peel Wax, 1,4-dioxane, ethylene oxide, solvents (e.g., benzol), nitrosamines and free amines were not present in this product.⁸ Heavy metals, pesticides, and polycyclic aromatic hydrocarbons were absent or present at very low concentrations (detail not provided). Low concentrations of fragrance allergens were present (detail not provided).

Citrus Unshiu Peel Extract

According to a supplier, a commercial product containing 0.5% Citrus Unshiu Peel Extract (dry) contains < 2.5 ppm (detection limit) allergens, < 1 ppm heavy metals, < 5 ppm (detection limit) formaldehyde, < 0.04 ppm (detection limit) pesticides, and < 10 ppm (detection limit) ethanol.¹⁰ An analysis of just the ingredient Citrus Unshiu Peel Extract found allergens and ethanol to be less than detection limits. The allergens under analysis were not specified.

Another supplier reports that its Citrus Unshiu Peel Extract products contain no more than 20 ppm heavy metals (a few products were no more than 10 ppm) and no more than 2 ppm arsenic (one products was no more than 1 ppm).⁶

USE

Cosmetic

The safety of the cosmetic ingredients included in this assessment is evaluated based on data received from the U.S. FDA and the cosmetics industry on the expected use of these ingredients in cosmetics. Use frequencies of individual ingredients in cosmetics are collected from manufacturers and reported by cosmetic product category in FDA's VCRP database. Use concentration data are submitted by Industry in response to surveys, conducted by the Personal Care Products Council (Council), of maximum reported use concentrations by product category.

According to 2016 VCRP data, Citrus Limon (Lemon) Peel Extract has the most reported uses with a total of 150; more than half are in rinse-off preparations (e.g. non-coloring hair conditioners, hair shampoos, and skin cleansing preparations; Table 9).¹³ Citrus Paradisi (Grapefruit) Peel Extract has the second greatest number of overall uses with a total of 61; more than half are in skin care preparations. The results of the concentration of use survey conducted in 2016 by the Council indicate that Citrus Aurantium Dulcis (Orange) Peel Powder has the highest reported maximum concentration of use; it is used at up to 2% in skin cleansing preparations.¹⁴ The highest reported maximum concentration of use in a leave-on product is 1.9% Citrus Aurantium Dulcis (Orange) Peel Wax in a lipstick.

Table 10 lists all *Citrus* peel-derived ingredients not reported to be in use based on the VCRP data or the results of the Council concentration of use survey.

In some cases, reports of uses were received from the VCRP, but no concentration of use data were provided in the survey. For example, Citrus Aurantium Amara (Bitter Orange) Peel Wax is reported to be used in 5 formulations, but no use concentration data were provided. In other cases, no uses were reported to the VCRP, but a maximum use concentration was provided. For example, Citrus Aurantium Amara (Bitter Orange) Peel was not reported in the VCRP database to be in use, but the industry survey indicated that it is used at concentrations up to 0.2%. It should be presumed that Citrus Aurantium Amara (Bitter Orange) Peel is used in at least one cosmetic formulation.

Some of these ingredients may be used in products that can be incidentally ingested or come into contact with mucous membranes. For example, Citrus Aurantium Dulcis (Orange) Peel Wax is used at 1.9% in a lipstick and Citrus Aurantium Amara (Bitter Orange) Peel is used at 0.2% in personal cleanliness products. Additionally, some of these ingredients were reported to be used in fragrance preparations, hair sprays, skin care preparation sprays, and face powders and could possibly be inhaled. For example, Citrus Aurantium Dulcis (Orange) Peel Extract was reported to be used in a moisturizing product at a maximum concentration of 0.15% and Citrus Grandis (Grapefruit) Peel Extract was reported to be used in face powders at up to 0.1%. In practice, 95% to 99% of the droplets/particles released from cosmetic sprays have aerodynamic equivalent diameters >10 µm, with propellant sprays yielding a greater fraction of droplets/particles below 10 µm compared with pump sprays.¹⁵⁻¹⁸ Therefore, most droplets/particles incidentally inhaled from cosmetic sprays would be deposited in the nasopharyngeal and bronchial regions and would not be respirable (i.e., they would not enter the lungs) to any appreciable amount.^{16,17} Conservative estimates of inhalation exposures to respirable particles during the use of loose powder cosmetic products are 400-fold to 1000-fold less than protective regulatory and guidance limits for inert airborne respirable particles in the workplace.¹⁹⁻²¹

The *Citrus* ingredients described in this safety assessment are not restricted from use in any way under the rules governing cosmetic products in the European Union (EU); however, furocoumarins are prohibited from use in cosmetics except for normal content in natural essences and in sun protection and bronzing products where the content shall be below 1 mg/kg.²²

The International Fragrance Association (IFRA) has issued standards for *Citrus* oils and other furocoumarin-containing essential oils.²³ Finished products that are applied to the skin, excluding rinse-off products like bath preparations and soaps, must not contain more than 0.0015% or 15 ppm 5-MOP. This equates to a concentration of 0.0075% or 75 ppm in a fragrance compound when used at 20% in a consumer product that is applied to the skin. If the level of 5-MOP has not been determined, limits specified for individual oils should be observed, and when such oils are used in combination with other phototoxic-constituent containing ingredients, the potential for an additive effect should be considered and use concentrations should be reduced accordingly.

An IFRA standard also has been issued for 7-methoxycoumarin, which is prohibited for use in fragrance compounds.²⁴ Based on established maximum levels of this substance from commercially-available natural sources (like essential oils, extracts and absolutes), IFRA has determined that exposure to 7-methoxycoumarin from the use of these oils and extracts is acceptable if the level of 7-methoxycoumarin in the finished product does not exceed 100 ppm.

Non-Cosmetic

The essential oils, oleoresins (solvent-free), and natural extractives (including distillates) derived from the following *Citrus* plant sources are GRAS for their intended use in foods for human consumption: *Citrus aurantifolia* (lime); *Citrus aurantium* (bergamot); *Citrus aurantium* (bitter orange; the flowers and peel); *Citrus limon* (lemon); *Citrus paradisi* (grapefruit); *Citrus reticulata* (tangerine); *Citrus reticulata blanco* (mandarin); *Citrus sinensis* (orange; the leaf, flowers, and peel) and citrus peels (species not specified) (21CFR182.20). These essential oils, oleoresins (solvent-free), and natural extractives (including distillates) of these *Citrus* plant sources are GRAS for their intended use in animal drugs, feeds, and related products (21CFR582.20).

Citrus aurantium amara (bitter orange) and extracts of its dried fruit and peel have been used in traditional Western medicines and in Chinese and Japanese herbal medicines.²⁵

TOXICOKINETICS

No relevant published toxicokinetic studies on *Citrus* peel-derived ingredients were identified in a literature search for these ingredients and no unpublished data were submitted; these types of data were not expected to be found because botanical ingredients are mixtures of many constituents.

TOXICOLOGICAL STUDIES

Acute Toxicity

Some of the *Citrus* ingredients in this assessment are foods, and daily exposure from consumption would result in much larger systemic exposures than those resulting from use in cosmetic products. Also, as noted earlier, essential oils, oleoresins (solvent-free), and natural extractives (including distillates) derived from some *Citrus* peels are GRAS for their intended use in foods for human and animal consumption according to the FDA. Thus, the systemic toxicity potential of *Citrus* peel-derived ingredients via oral exposure is not addressed further in this report. The safety assessment is focused on the potential for irritation and sensitization from topical exposure to the *Citrus* ingredients used in cosmetic products.

Repeated Dose Toxicity

No relevant published repeated dose toxicity studies on *Citrus* peel-derived ingredients were identified in a literature search, and no unpublished data were submitted.

REPRODUCTIVE AND DEVELOPMENTAL TOXICITY

No relevant published reproductive and developmental studies on *Citrus* peel-derived ingredients were identified in a literature search, and no unpublished data were submitted.

GENOTOXICITY

***Citrus Reticulata* (Tangerine) Peel Extract**

A formulation containing 3% *Citrus Reticulata* (Tangerine) Peel Extract was not genotoxic in a reverse mutation assay (no further details provided).²⁶

CARCINOGENICITY

No relevant published carcinogenicity studies on *Citrus* peel-derived ingredients were identified in a literature search, and no unpublished data were submitted.

IRRITATION AND SENSITIZATION

Dermal Irritation

Dermal irritation studies are summarized in Table 11.^{6,8,12,26-31} No irritation potential was observed for Citrus Aurantium Dulcis (Orange) Peel Wax (100%) or Citrus Reticulata (Tangerine) Peel Extract (3.0% in formulation) in in vitro tests. Citrus Aurantium Amara (Bitter Orange) Peel Extract was not irritating when tested at up to 2.0% in formulation in guinea pigs and 100% in rabbits. In human subjects, no irritation was observed after topical exposure to Citrus Aurantium Dulcis (Orange) Peel Wax (100%), Citrus Limon (Lemon) Peel Extract (0.1% in a moisturizer), and Citrus Unshiu Peel Extract (0.5% in formulation). Any irritation observed in tests with Citrus Aurantium Amara (Bitter Orange) Peel Extract (1.55% in formulation; 20% water solution) and Citrus Reticulata (Tangerine) Peel Extract (3.06% in formulation) was resolved within 24-h of exposure.

Ocular Irritation

Citrus Aurantium Amara (Bitter Orange) Peel Extract

The ocular irritation potential of an undiluted formulation containing 2.0% Citrus Aurantium Amara (Bitter Orange) Peel Extract was studied in 3 albino rabbits.²⁹ The test material was instilled into the conjunctival sac of one eye and the other eye served as a control. Eyes were observed for irritation at 0, 1, 24, 48, and 72 h post-instillation. Redness was observed in the conjunctiva immediately after instillation, but not at later time points. No inflammatory signs were observed in the iris or cornea. The test material was considered almost non-irritating.

Citrus Limon (Lemon) Peel Extract

In an Epiocular™ tissue equivalent in vitro assay, a moisturizer containing 0.1% Citrus Limon (Lemon) Peel Extract tested neat at pH 5.5 was not predicted to be an ocular irritant.³²

Citrus Reticulata (Tangerine) Peel Extract

In an in vitro assay using the neutral red release method on SIRC cell lines, 3.0% Citrus Reticulata (Tangerine) Peel Extract in formulation was classified as having relatively low cytotoxicity.²⁶ This suggests that this ingredient is likely not an ocular irritant.

Sensitization

Dermal sensitization studies are summarized in Table 12.^{6,9,26,29,33-38} No sensitization was observed in guinea pigs exposed to Citrus Aurantium Amara (Bitter Orange) Peel Extract (2.0% in formulation). Citrus Aurantifolia (Lime) Peel Extract (2.14% in a face and neck product), Citrus Aurantium Dulcis (Orange) Peel Wax (1.9% in a lipstick), Citrus Grandis (Grapefruit) Peel Extract (up to 0.5% in formulation), Citrus Reticulata (Tangerine) Peel Extract (up to 3.0% in formulation), and Citrus Unshiu Peel Extract (up to 100%) were not dermal irritants or sensitizers in human repeated insult patch tests (HRIPTs).

Phototoxicity and Photosensitization

Phototoxicity and photosensitization studies are presented in Table 13.^{26,29,39-43} No photo irritation was observed in an in vitro study of Citrus Reticulata (Tangerine) Peel Extract (3.0% in formulation). Citrus Aurantium Amara (Bitter Orange) Peel Extract (2.0% in formulation) did not induce photo irritation or photosensitization in guinea pigs. Undiluted lemon peel juice produced phototoxic reactions in several rat studies. In humans, Citrus Aurantium Dulcis (Orange) Peel wax (100%) was not phototoxic, but phototoxic reactions were observed in 3 subjects (out of 4) with type I skin exposed to undiluted sweet orange peel.

Occupational Exposure

In a retrospective study (2001-2010) of professional food handlers in Denmark, 8.5% (16/188) of the patients had positive skin prick test reactions to orange peel and 7.9% (15/191) of the patients had positive skin prick test reactions to lemon peel.⁴⁴

SUMMARY

The 48 *Citrus* peel-derived ingredients described in this report are reported to function in cosmetics primarily as skin conditioning agents. Botanical ingredients such as those derived from the genus *Citrus* are composed of hundreds of constituents, some of which have the potential to cause toxic effects; for example, bergapten (aka 5-methoxypsoralen or 5-MOP) is a naturally-occurring, phototoxic furanocoumarin (psoralen) in *Citrus*. CIR reviewed the information available on the potential toxicity of each *Citrus* peel-derived ingredient as a whole, complex substance. Except for specific constituents of concern that the Panel has identified, CIR is not reviewing the potential toxicity of the individual constituents of the *Citrus* peels from which the ingredients in this report are derived.

Citrus Limon (Lemon) Peel Extract has the most reported uses of the cosmetic ingredients in this report, with a total of 150; more than half of the uses are in rinse-off preparations (e.g., non-coloring hair conditioners, hair shampoos, and skin cleansing preparations). Citrus Paradisi (Grapefruit) Peel Extract has the second greatest number of overall uses reported, with a total of 61; more than half of the uses are in skin care preparations. The results of the concentration of use survey conducted in 2016 by the Council indicate Citrus Aurantium Dulcis (Orange) Peel Powder has the highest reported maximum concentration of use; it is used at up to 2% in skin cleansing preparations. The highest reported maximum concentration of use in a leave-on product is 1.9% in a lipstick for Citrus Aurantium Dulcis (Orange) Peel Wax.

The Citrus ingredients described in this safety assessment are not restricted from use in any way under the rules governing cosmetic products in the EU; however, furocoumarins are prohibited from use in cosmetics, except for normal content in natural essences and in sun protection and bronzing products where the content shall be below 1 mg/kg. IFRA also has issued standards for *Citrus* oils and other furocoumarin-containing essential oils. Finished products that are applied to the skin, excluding rinse-off products like bath preparations and soaps, must not contain more than 0.0015% or 15 ppm 5-MOP. If the level of 5-MOP has not been determined, limits specified for individual oils should be observed, and when these oils are used in combination with other phototoxic ingredients, the potential additive effect should be taken into consideration and use levels in the final formulation should be carefully monitored.

Some of the *Citrus* ingredients in this assessment are found in foods, and daily exposure from food use would result in much greater systemic exposures than those from cosmetic products. Essential oils, oleoresins (solvent-free), and natural extractives (including distillates) derived from some *Citrus* peels are GRAS for their intended use in foods for human and animal consumption, according to the FDA.

A formulation containing 3% Citrus Reticulata (Tangerine) Peel Extract was not genotoxic in a reverse mutation assay (no further details provided).

No irritation potential was observed for Citrus Aurantium Dulcis (Orange) Peel Wax (100%) or Citrus Reticulata (Tangerine) Peel Extract (3.0% in formulation) in *in vitro* tests. Citrus Aurantium Amara (Bitter Orange) Peel Extract was not irritating when tested up to 2.0% in formulation in rodents and 100% in rabbits. In human subjects, no irritation was observed after topical exposure to Citrus Aurantium Dulcis (Orange) Peel Wax (100%), Citrus Limon (Lemon) Peel Extract (0.1% in a moisturizer), and Citrus Unshiu Peel Extract (0.5% in formulation). Any irritation observed in tests with Citrus Aurantium Amara (Bitter Orange) Peel Extract (1.55% in formulation; 20% water solution) and Citrus Reticulata (Tangerine) Peel Extract (3.06% in formulation) was resolved within 24-h of exposure.

In *in vitro* assays, Citrus Limon (Lemon) Peel Extract (0.1% in a moisturizer) and Citrus Reticulata (Tangerine) Peel Extract (3.0% in formulation) did not predict ocular irritation. An undiluted formulation containing 2.0% Citrus Aurantium Amara (Bitter Orange) Peel Extract was almost non-irritating to the eyes of 3 albino rabbits.

No sensitization was observed in guinea pigs exposed to Citrus Aurantium Amara (Bitter Orange) Peel Extract (2.0% in formulation). Citrus Aurantifolia (Lime) Peel Extract (2.14% in a face and neck product), Citrus Aurantium Dulcis (Orange) Peel Wax (1.9% in a lipstick), Citrus Grandis (Grapefruit) Peel Extract (up to 0.5% in formulation), Citrus Reticulata (Tangerine) Peel Extract (up to 3.0% in formulation), and Citrus Unshiu Peel Extract (up to 100%) were not dermal irritants or sensitizers in HRIPTs.

No photo irritation was observed in an *in vitro* study of Citrus Reticulata (Tangerine) Peel Extract (3.0% in formulation). Citrus Aurantium Amara (Bitter Orange) Peel Extract (2.0% in formulation) did not induce photo irritation or photosensitization in guinea pigs. Undiluted lemon peel juice produced phototoxic reactions in several rat studies. In humans, Citrus Aurantium Dulcis (Orange) Peel wax (100%) was not phototoxic, but phototoxic reactions were observed in 3 subjects (out of 4) with type I skin exposed to undiluted sweet orange peel.

In a retrospective study of professional food handlers in Denmark, 8.5% (16/188) of the patients had positive skin prick test reactions to orange peel and 7.9% (15/191) of the patients had positive skin prick test reactions to lemon peel.

No relevant published studies on the toxicokinetics, repeated dose toxicity, reproductive and development toxicity, or carcinogenicity of *Citrus* peel-derived ingredients were discovered and no unpublished data were submitted to address these topics.

DISCUSSION

The *Citrus* ingredients in this assessment are found in foods, and daily exposures from the consumption of foods can be expected to yield much larger systemic exposures to these ingredients than those from the use of cosmetic products. Essential oils, oleoresins (solvent-free), and natural extracts (including distillates) derived from some *Citrus* peels are GRAS in foods and animal feeds. Additionally, volatile oils of limes, lemons, grapefruits, bitter oranges, oranges, and tangerines are used as flavoring agents. Consequently, the primary focus of this safety assessment is on the potential for irritation and sensitization from dermal exposures to the *Citrus* ingredients.

Although there are many differences among *Citrus* peel-derived ingredients derived from different species, cultivars, growth conditions, extraction methods, and preparation techniques, the weight of the evidence indicates a consistent lack of irritation and sensitization across multiple test methods and ingredients, including testing at maximum use concentrations. However, the Panel expressed concern about the potential for constituents in *Citrus* peel-derived ingredients, including the furocoumarin 5-MOP, to cause phototoxicity. IFRA has issued standards for *Citrus* oils and other furocoumarin-containing essential oils, and the Panel agreed that adherence to the IFRA standards for such constituents will prevent phototoxicity.

According to these standards, finished products that are applied to the skin, excluding rinse-off products, must not contain more than 0.0015%, or 15 ppm, 5-MOP. An IFRA standard also has been issued for 7-methoxycoumarin; based on established maximum levels of this substance from commercially-available natural sources (like essential oils, extracts and absolutes), exposure to 7-methoxycoumarin from the use of these oils and extracts is regarded to be acceptable if the level of 7-methoxycoumarin in the finished product does not exceed 100 ppm.

Additionally, during the assessment of safety for the *Citrus*-derived peel oils, the Panel was concerned with findings of a rodent carcinogenicity study in which tumor promotion may have been caused by repeated skin irritation and resultant proliferation of 9,10-dimethyl-1,2-benzanthracene (DMBA)-treated basal cells. The Panel concluded that *Citrus*-derived peel oils could potentially promote tumors if the formulation produces irritation. While no significant skin irritation was reported following the use of *Citrus* peel-derived ingredients, the Panel felt that these botanical ingredients must be formulated to be non-irritating.

The Panel noted that, because botanical ingredients are complex mixtures, there is concern that multiple botanical ingredients in one formulation may each contribute to the final concentration of a single constituent. Therefore, when formulating products, manufacturers should avoid reaching levels in final formulation of plant constituents that may cause sensitization or other adverse effects. Specific examples of constituents that could induce adverse effects are limonene, citral, and furocoumarins (such as 5-MOP and 7-methoxycoumarin).

The Panel discussed the issue of incidental inhalation exposure in fragrance preparations, hair sprays, skin care preparation sprays, and face powders. There were no inhalation toxicity data available. The Panel considered other pertinent data indicating that incidental inhalation exposures to *Citrus* peel-derived ingredients in such cosmetic products would not cause adverse health effects, including data characterizing the potential for these ingredients to cause ocular or dermal irritation or sensitization, and other effects. These ingredients are reportedly used at concentrations up to 0.15% in cosmetic products that may be aerosolized. The Panel noted that droplets/particles from spray and loose-powder cosmetic products would not be respirable to any appreciable amount. The potential for inhalation toxicity is not limited to respirable droplets/particles deposited in the lungs. In principle, inhaled droplets/particles deposited in the nasopharyngeal and thoracic regions of the respiratory tract may cause toxic effects depending on their chemical and other properties. However, coupled with the small actual exposure in the breathing zone and the concentrations at which the ingredients are used, the available information indicates that incidental inhalation would not be a significant route of exposure that might lead to local respiratory or systemic effects. A detailed discussion and summary of the Panel's approach to evaluating incidental inhalation exposures to ingredients in cosmetic products is available at <http://www.cir-safety.org/cir-findings>.

Finally, the Panel expressed concern about pesticide residues and heavy metals that may be present in botanical ingredients. They stressed that the cosmetics industry should continue to use current good manufacturing practices (cGMPs) to limit impurities.

CONCLUSION

The CIR Expert Panel concluded the following 48 *Citrus* peel-derived ingredients are safe for use in both rinse-off and leave-on cosmetic products when formulated to be non-sensitizing and non-irritating, provided that leave-on products do not contain more than 0.0015% (15 ppm) 5-MOP.

| | |
|---|---|
| Citrus Aurantifolia (Lime) Peel* | Citrus Jabara Peel Extract |
| Citrus Aurantifolia (Lime) Peel Extract | Citrus Jabara Peel Powder* |
| Citrus Aurantifolia (Lime) Peel Powder | Citrus Jabara Peel Water* |
| Citrus Aurantifolia (Lime) Peel Water* | Citrus Junos Peel Extract |
| Citrus Aurantium Amara (Bitter Orange) Peel | Citrus Junos Peel Powder |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | Citrus Junos Peel Water* |
| Citrus Aurantium Amara (Bitter Orange) Peel Powder | Citrus Limon (Lemon) Peel |
| Citrus Aurantium Amara (Bitter) Orange Peel Wax | Citrus Limon (Lemon) Peel Extract |
| Citrus Aurantium Bergamia (Bergamot) Peel Water | Citrus Limon (Lemon) Peel Powder |
| Citrus Aurantium Dulcis (Orange) Peel Extract | Citrus Limon (Lemon) Peel Water* |
| Citrus Aurantium Dulcis (Orange) Peel Powder | Citrus Limon (Lemon) Peel Wax |
| Citrus Aurantium Dulcis (Orange) Peel Wax | Citrus Natsudaikai Peel Extract* |
| Citrus Aurantium Sinensis Peel Extract* | Citrus Nobilis (Mandarin Orange) Peel Extract |
| Citrus Aurantium Tachibana Peel Extract | Citrus Nobilis (Mandarin Orange) Peel Powder* |
| Citrus Depressa Peel Extract | Citrus Paradisi (Grapefruit) Peel Extract |
| Citrus Depressa Peel Powder* | Citrus Reticulata (Tangerine) Peel Extract |
| Citrus Grandis (Grapefruit) Peel* | Citrus Reticulata (Tangerine) Peel Powder* |
| Citrus Grandis (Grapefruit) Peel Extract | Citrus Shunkokan Peel Extract* |
| Citrus Grandis (Grapefruit) Peel Powder* | Citrus Sunki Peel Extract* |
| Citrus Hassaku/Natsudaikai Peel Powder* | Citrus Tachibana/Reticulata Peel Powder* |
| Citrus Iyo Peel Extract* | Citrus Tangelo Peel Powder* |
| Citrus Iyo Peel Water* | Citrus Tangerina (Tangerine) Peel* |

Citrus Tangerina (Tangerine) Peel Extract
Citrus Unshiu Peel Extract

Citrus Unshiu Peel Powder
Citrus Unshiu Peel Water*

*Not reported to be in current use. Were ingredients in this group not in current use to be used in the future, the expectation is that they would be used in product categories and at concentrations comparable to others in this group.

TABLES**Table 1.** Definitions and functions of *Citrus* peel-derived ingredients.¹

| Ingredient | Definition | Function |
|---|--|--|
| Citrus Aurantifolia (Lime) Peel | Citrus Aurantifolia (Lime) Peel is the peel obtained from <i>Citrus aurantifolia</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantifolia (Lime) Peel Extract CAS No. 90063-52-8 | Citrus Aurantifolia (Lime) Peel Extract is the extract of the peel of <i>Citrus aurantifolia</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantifolia (Lime) Peel Powder | Citrus Aurantifolia (Lime) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus aurantifolia</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantifolia (Lime) Peel Water | Citrus Aurantifolia (Lime) Peel Water is the aqueous solution of the steam distillates obtained from the peel of <i>Citrus aurantifolia</i> . | Fragrance Ingredients |
| Citrus Aurantium Amara (Bitter Orange) Peel | Citrus Aurantium Amara (Bitter Orange) Peel is the peel of <i>Citrus aurantium amara</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract CAS No. 72968-50-4 | Citrus Aurantium Amara (Bitter Orange) Peel Extract is the extract of the peel of <i>Citrus aurantium amara</i> . | Fragrance Ingredients; Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Amara (Bitter Orange) Peel Powder | Citrus Aurantium Amara (Bitter Orange) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus aurantium amara</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Amara (Bitter) Orange Peel Wax | Not listed in the <i>International Cosmetic Dictionary and Handbook</i> | |
| Citrus Aurantium Bergamia (Bergamot) Peel Water | Citrus Aurantium Bergamia (Bergamot) Peel Water is an aqueous solution of the steam distillate obtained from the peel of <i>Citrus aurantium bergamia</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Dulcis (Orange) Peel Extract | Citrus Aurantium Dulcis (Orange) Peel Extract is the extract of the peel of <i>Citrus aurantium dulcis</i> . | Binders; Emulsion Stabilizers; Skin-Conditioning Agents - Miscellaneous; Viscosity Increasing Agents - Aqueous |
| Citrus Aurantium Dulcis (Orange) Peel Powder | Citrus Aurantium Dulcis (Orange) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus aurantium dulcis</i> . | Absorbents |
| Citrus Aurantium Dulcis (Orange) Peel Wax | Citrus Aurantium Dulcis (Orange) Peel Wax is a wax obtained from the peel of the orange, <i>Citrus aurantium dulcis</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Sinensis Peel Extract | Citrus Aurantium Sinensis Peel Extract is the extract of the peel of <i>Citrus aurantium sinensis</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Aurantium Tachibana Peel Extract | Citrus Aurantium Tachibana Peel Extract is the extract of the peel of <i>Citrus aurantium tachibana</i> . | Skin-Conditioning Agents - Humectant |
| Citrus Depressa Peel Extract | Citrus Depressa Peel Extract is the extract of the peel of <i>Citrus depressa</i> . | Skin-Conditioning Agents - Humectant |
| Citrus Depressa Peel Powder | Citrus Depressa Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus depressa</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Grandis (Grapefruit) Peel | Citrus Grandis (Grapefruit) Peel is the peel of <i>Citrus grandis</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Grandis (Grapefruit) Peel Extract | Citrus Grandis (Grapefruit) Peel Extract is the extract of the peel of <i>Citrus grandis</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Grandis (Grapefruit) Peel Powder | Citrus Grandis (Grapefruit) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus grandis</i> . | Absorbents |
| Citrus Hassaku/Natsudaidai Peel Powder | Citrus Hassaku/Natsudaidai Peel Powder is the powder obtained from the dried, ground peel of a hybrid of <i>Citrus hassaku</i> and <i>Citrus natsudaidai</i> . | Flavoring Agents |
| Citrus Iyo Peel Extract | Citrus Iyo Peel Extract is the extract of the peel of <i>Citrus iyo</i> . | Skin-Conditioning Agents - Humectant |
| Citrus Iyo Peel Water | Citrus Iyo Peel Water is an aqueous solution of the steam distillate obtained from the peel of <i>Citrus iyo</i> . | Skin-Conditioning Agents - Humectant |
| Citrus Jabara Peel Extract | Citrus Jabara Peel Extract is the extract of the peel of <i>Citrus jabara</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Jabara Peel Powder | Citrus Jabara Peel Powder is the powder obtained from the dried, ground peels of <i>Citrus jabara</i> . | Fragrance Ingredients |
| Citrus Jabara Peel Water | Citrus Jabara Peel Water is an aqueous solution of the steam distillate obtained from the peel of <i>Citrus jabara</i> . | Fragrance Ingredients; Skin-Conditioning Agents - Miscellaneous |
| Citrus Junos Peel Extract | Citrus Junos Peel Extract is the extract of the peel of <i>Citrus junos</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Junos Peel Powder | Citrus Junos Peel Powder is the dried, ground powder obtained from the peels of <i>Citrus junos</i> . | Fragrance Ingredients |
| Citrus Junos Peel Water | Citrus Junos Peel Water is an aqueous solution of the steam distillate obtained from the peel of <i>Citrus junos</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Limon (Lemon) Peel CAS No. 84929-31-7; 85085-28-5; 92346-89-9 | Citrus Limon (Lemon) Peel is the peel of <i>Citrus limon</i> . | Fragrance Ingredients; Skin-Conditioning Agents - Miscellaneous |
| Citrus Limon (Lemon) Peel Extract CAS No. 84929-31-7; 85085-28-5 | Citrus Limon (Lemon) Peel Extract is the extract of the peel of <i>Citrus limon</i> . | Skin Protectants; Skin-Conditioning Agents - Emollient |
| Citrus Limon (Lemon) Peel Powder | Citrus Limon (Lemon) Peel Powder is the powder obtained from | Absorbents |

Table 1. Definitions and functions of *Citrus* peel-derived ingredients.¹

| Ingredient | Definition | Function |
|--|--|--|
| CAS No. 84929-31-7; 85085-28-5 Citrus Limon (Lemon) Peel Water | the dried, ground peel of <i>Citrus limon</i> . | |
| CAS No. 84929-31-7; 85085-28-5 Citrus Limon (Lemon) Peel Wax | Citrus Limon (Lemon) Peel Water is an aqueous solution of the steam distillate obtained from the peel of <i>Citrus limon</i> . | Skin-Conditioning Agents - Miscellaneous |
| CAS No. 84929-31-7; 85085-28-5 Citrus Natsudaikai Peel Extract | Citrus Limon (Lemon) Peel Wax is the wax obtained from the peel of <i>Citrus limon</i> . | Skin-Conditioning Agents - Occlusive |
| Citrus Nobiles (Mandarin Orange) Peel Extract | Citrus Natsudaikai Peel Extract is the extract of the peel of <i>Citrus natsudaikai</i> . | Skin-Conditioning Agents - Humectant |
| CAS No. 90063-83-5 Citrus Nobiles (Mandarin Orange) Peel Powder | Citrus Nobiles (Mandarin Orange) Peel Extract is the extract of the peel of <i>Citrus nobiles</i> . | Fragrance Ingredients; Skin-Conditioning Agents - Miscellaneous |
| Citrus Paradisi (Grapefruit) Peel Extract | Citrus Nobiles (Mandarin Orange) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus nobiles</i> . | Abrasives |
| CAS No. 90045-43-5 (generic) Citrus Reticulata (Tangerine) Peel Extract | Citrus Paradisi (Grapefruit) Peel Extract is the extract obtained from the peel of <i>Citrus paradisi</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Reticulata (Tangerine) Peel Powder | Citrus Reticulata (Tangerine) Peel Extract is the extract of the peel of <i>Citrus reticulata</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Shunkokan Peel Extract | Citrus Reticulata (Tangerine) Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus reticulata</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Sunki Peel Extract | Citrus Shunkokan Peel Extract is the extract of the peel of <i>Citrus shunkokan</i> . | Antioxidants |
| Citrus Tachibana/Reticulata Peel Powder | Citrus Sunki Peel Extract is the extract of the peel of <i>Citrus sunki</i> . | Humectants; Skin Protectants; Skin-Conditioning Agents - Humectant |
| Citrus Tangelo Peel Powder | Citrus Tachibana/Reticulata Peel Powder is the powder obtained from the finely ground peel of a hybrid of <i>Citrus tachibana</i> and <i>Citrus reticulata</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Tangerina (Tangerine) Peel | Citrus Tangelo Peel Powder is the powder obtained from the dried, ground peel of <i>Citrus tangelo</i> . | Flavoring Agents |
| Citrus Tangerina (Tangerine) Peel Extract | Citrus Tangerina (Tangerine) Peel is the peel of the tangerine, <i>Citrus tangerina</i> . | Abrasives |
| Citrus Unshiu Peel Extract | Citrus Tangerina (Tangerine) Peel Extract is the extract of the peel of <i>Citrus tangerina</i> . | Cosmetic Astringents |
| Citrus Unshiu Peel Powder | Citrus Unshiu Peel Extract is the extract of the peel of <i>Citrus unshiu</i> . | Skin-Conditioning Agents - Miscellaneous |
| Citrus Unshiu Peel Water | Citrus Unshiu Peel Powder is the powder of the dried, ground peel of <i>Citrus unshiu</i> . | Fragrance Ingredients |
| | Citrus Unshiu Peel Water is the aqueous solution of the steam distillates obtained from the peel of <i>Citrus unshiu</i> . | Skin Protectants |

Table 2. Citrus-ingredients that potentially function solely as fragrance ingredients.

Citrus Aurantifolia (Lime) Peel Water
Citrus Jabara Peel Powder

Citrus Junos Peel Powder
Citrus Unshiu Peel Powder

Table 3. Review of *Citrus* genus species names.⁴

| Genus Species Name Used in INCI Names (common name) | Accepted Genus Species Name |
|--|---|
| <i>Citrus aurantifolia</i> (lime) | <i>Citrus x aurantifolia</i> |
| <i>Citrus aurantium amara</i> (bitter orange) | <i>Citrus x aurantium</i> |
| <i>Citrus aurantium bergamia</i> (bergamot) | <i>Citrus x limon</i> |
| <i>Citrus aurantium dulcis</i> (orange) | <i>Citrus x aurantium</i> |
| <i>Citrus clementina</i> (clementine) | <i>Citrus x aurantium</i> |
| <i>Citrus depressa</i> | <i>Citrus reticulata</i> |
| <i>Citrus glauca</i> | <i>Citrus glauca</i> |
| <i>Citrus grandis</i> (grapefruit or pomelo) | <i>Citrus maxima</i> or <i>Citrus x aurantium</i> |
| <i>Citrus hassaku</i> | <i>Citrus medica x Citrus x aurantium</i> |
| <i>Citrus iyo</i> | <i>Citrus x aurantium</i> |
| <i>Citrus jabara</i> | Not known |
| <i>Citrus japonica</i> (kumquat) | <i>Citrus japonica</i> |
| <i>Citrus junos</i> | <i>Citrus x junos</i> |
| <i>Citrus limon</i> (lemon) | <i>Citrus x limon</i> |
| <i>Citrus madurensis</i> | <i>Citrus x microcarpa</i> |
| <i>Citrus medica vulgaris</i> | <i>Citrus reticulata</i> |
| <i>Citrus natsudaidai</i> | <i>Citrus x aurantium</i> |
| <i>Citrus nobilis</i> (mandarin orange) | <i>Citrus reticulata</i> |
| <i>Citrus paradisi</i> (grapefruit) | <i>Citrus x aurantium</i> |
| <i>Citrus reticulata</i> (tangerine) | <i>Citrus reticulata</i> |
| <i>Citrus shunkokan</i> | Cultivated hybrid |
| <i>Citrus sinensis</i> (orange) | <i>Citrus x aurantium</i> |
| <i>Citrus sphaerocarpa</i> | Cultivated hybrid |
| <i>Citrus sudachi</i> | <i>Citrus reticulata</i> |
| <i>Citrus tachibana</i> | Not listed |
| <i>Citrus tamurana</i> | Cultivated hybrid |
| <i>Citrus tangelo</i> (tangelo) | <i>Citrus x aurantium</i> |
| <i>Citrus tangerine</i> (tangerine) | <i>Citrus reticulata</i> |
| <i>Citrus tankan</i> | <i>Citrus reticulata</i> |
| <i>Citrus unshiu</i> | <i>Citrus reticulata</i> |

Table 4. Physical and chemical properties of Citrus Aurantium Dulcis (Orange) Peel Wax.

| Property | Description | Reference |
|--|---------------------------------------|------------------|
| Citrus Aurantium Dulcis (Orange) Peel Wax | | |
| Color | light reddish-brown to orange | 12 |
| Odor | mild to very low characteristic | 12 |
| Appearance | semi-solid | 12 |
| molecular weight | > 400 | 8 |
| melting point | 45-57 °C refined; 35-50 °C deodorized | 12 |
| congealing point | 45-55 °C refined; 30-45 °C deodorized | 12 |
| acid value | 8-20 refined; 10-20 deodorized | 12 |
| saponification value | 70-110 refined and deodorized | 12 |
| hydroxyl value | 20-50 refined; 10-40 deodorized | 12 |
| log P | > 3.5 | 8 |
| UV absorbance | 210-240 nm | 12 |

Table 5. Constituents of *Citrus* peels that are known contact allergens in humans, according to the SCCS.¹¹

Constituent

β -caryophyllene

Carvone

Citral

Citronellol

Coumarin

Farnesol

Geraniol

linalyl acetate

α - and β -pinene

(DL)-limonene

terpineol (mixture of isomers)/ α -terpineol

Terpinolene

Table 6. Volatile constituents from *Citrus aurantifolia* peel extract as analyzed by gas chromatography-mass spectrometry.⁴⁵

| Constituent | % |
|---|-------|
| tetrahydro-2-methyl-2H-pyran | 0.72 |
| 4-hexen-3-one | 0.51 |
| 3-methyl-3-penten-2-one | 0.33 |
| 3-hexen-2-one | 0.48 |
| 2,3-dimethyl-2,3-butanediol | 1.67 |
| Resorcinol | 3.65 |
| <i>p</i> -cymene | 0.36 |
| 1-methoxycyclohexene | 8.00 |
| linalool oxide | 1.18 |
| crysantenile acetate | 0.40 |
| Corylone | 6.93 |
| terpinen-4-ol | 1.66 |
| α -terpineol | 5.97 |
| 3-nethyl-1,2-cyclopentanedione | 8.27 |
| 3,7-dimethyl-(<i>Z</i>)-2,6-octadienal | 1.09 |
| Carvone | 0.88 |
| Geraniol | 1.15 |
| Citral | 2.21 |
| 1,8-dimethyl-4-(1-methylethyl)-spiro[4.5]dec-8-en-7-one | 0.56 |
| geranyl formate | 0.70 |
| oleic acid | 0.69 |
| 7-methyl-(<i>Z</i>)-8-tetradecen-1-ol acetate | 2.83 |
| geranyl acetone | 1.84 |
| Bergamotene | 1.00 |
| (<i>Z</i>)-8-methyl-9-tetradecenoic acid | 1.24 |
| <i>trans</i> - α -bisabolene | 1.02 |
| caryophyllene oxide | 3.02 |
| Spathulenol | 1.95 |
| Umbelliferone | 4.36 |
| (<i>Z</i>)-11(13,14-epoxy)tetradecen-1-ol acetate | 0.59 |
| <i>trans</i> -phytol | 0.22 |
| 1-heptatriacontanol | 0.42 |
| Versalide | 0.51 |
| methyl palmitate | 0.29 |
| palmitic acid | 6.89 |
| 5,7-dimethoxycoumarin | 15.80 |
| 5-methoxypsoralen | 1.14 |
| linoleic acid | 0.96 |
| Tricosane | 0.31 |
| 5,8-dimethoxypsoralen | 6.08 |
| Pentacosane | 0.46 |
| Tetracosanal | 0.70 |
| Octacosane | 0.39 |
| Nonacosane | 0.50 |

Table 7. Primary chemical composition of Citrus Aurantium Dulcis (Orange) Peel wax by percent. ¹²

| | |
|---|---------|
| unsaturated monoesters, hydroxyl-monoesters, and monoesters | 50-65 |
| free fatty acids C12-C26 | 6-15 |
| hydrocarbons C21- C33 | 8-15 |
| sterol esters | 5-18 |
| free sterols | 4-8 |
| free alcohols | 2-7 |
| Carotenoids | 0.5-2 |
| Glycolipids | 0.5-2 |
| Phospholipids | 0.5-2 |
| Flavonoids | 0.2-1 |
| fragrance compounds, natural | 0.2-0.8 |

Table 8. Constituents of Citrus Aurantium Dulcis (Orange) Peel wax with color or aroma characteristics. ¹²

| color compounds (carotenoids) | aroma compounds (alcohols, aldehydes, ketones, esters, and hydrocarbons) |
|--------------------------------------|---|
| Phytoene | octan-1-ol |
| Phytolluene | nonanal |
| α -carotene | linalool |
| β -carotene | <i>p</i> -mentha-2,8-dien-1-ol |
| γ -carotene | sabinol |
| δ -carotene | isopulegol |
| Lycopene | 4-methylacetophenone |
| Cryptoxanthin | α -terpineol |
| hydroxy- α -carotene | ethyl octanoate |
| Cyrovlevin | decanal |
| Rubiflavin | carveol |
| Rubixanthin | neral |
| Lutein | carvone |
| Canthaxanthin | pipertone |
| Zeaxanthin | geranial |
| Antheraxanthin | perillyl alcohol |
| Violaxanthin | α -cubebene |
| Luteoxanthin | hexyl hexanoate |
| Auroxanthin | β -elemene |
| β -citraurin | β -famesene |
| Liavoxanthin | caryophyllene |
| Sintaxanthin | γ -selinene |
| Xanthophylls | β -copaene |
| | δ -cadinene |
| | bisabolene |
| | valencene |

Table 9. Frequency and concentration of use according to duration and type of exposure for *Citrus* peel-derived ingredients.^{13,14}

| | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> |
|-------------------------------|--|----------------------------|--|--|---|----------------------------|--|----------------------------|
| | Citrus Limon (Lemon) Peelⁱ | | Citrus Limon (Lemon) Peel Extract | | Citrus Limon (Lemon) Peel Powder | | Citrus Limon (Lemon) Peel Wax | |
| Totals^f | 4 | 0.4 | 150 | 0.000005-0.14 | 6 | 0.5 | 1 | NR |
| <i>Duration of Use</i> | | | | | | | | |
| Leave-On | 3 | NR | 62 | 0.000005-0.14 | 4 | NR | NR | NR |
| Rinse Off | 1 | 0.4 | 87 | 0.000008-0.057 | 2 | 0.5 | 1 | NR |
| Diluted for (Bath) Use | NR | NR | 1 | NR | NR | NR | NR | NR |
| <i>Exposure Type</i> | | | | | | | | |
| Eye Area | NR | NR | 2 | NR | NR | NR | NR | NR |
| Incidental Ingestion | NR | NR | 3 | 0.000008-0.0025 | NR | NR | NR | NR |
| Incidental Inhalation-Spray | 1 ^a , 1 ^b | NR | 2; 22 ^a , 20 ^b | 0.000033-0.0005; 0.000008-0.0006 ^a | 1 ^b | NR | NR | NR |
| Incidental Inhalation-Powder | 1 ^b | NR | 20 ^b | 0.0001-0.14 ^c | 1 ^b | NR | NR | NR |
| Dermal Contact | 4 | 0.4 | 89 | 0.000005-0.14 | 5 | 0.5 | 1 | NR |
| Deodorant (underarm) | NR | NR | 1 ^a | NR | NR | NR | NR | NR |
| Hair - Non-Coloring | NR | NR | 55 | 0.000033-0.0031 | NR | NR | NR | NR |
| Hair-Coloring | NR | NR | 2 | NR | NR | NR | NR | NR |
| Nail | NR | NR | 1 | NR | 1 | NR | NR | NR |
| Mucous Membrane | NR | 0.4 | 17 | 0.000008-0.0051 | 1 | 0.5 | 1 | NR |
| Baby Products | NR | NR | 1 | NR | NR | NR | NR | NR |
| | Citrus Nobilis (Mandarin Orange) Peel Extract | | Citrus Paradisi (Grapefruit) Peel Extract | | Citrus Reticulata (Tangerine) Peel Extract^k | | Citrus Tangerina (Tangerine) Peel Extract | |
| Totals^f | 19 | 0.0000005-0.05 | 61 | NR | 36 | 0.00029-0.01 | 2 | 0.0000048 |
| <i>Duration of Use</i> | | | | | | | | |
| Leave-On | 8 | 0.0000005-0.025 | 39 | NR | 28 | 0.00048-0.01 | 1 | NR |
| Rinse Off | 11 | 0.000025-0.05 | 21 | NR | 8 | 0.00029-0.0012 | 1 | 0.0000048 |
| Diluted for (Bath) Use | NR | 0.0005-0.0025 | 1 | NR | NR | NR | NR | NR |
| <i>Exposure Type</i> | | | | | | | | |
| Eye Area | NR | NR | 1 | NR | 5 | 0.002 | NR | NR |
| Incidental Ingestion | NR | NR | 3 | NR | NR | NR | NR | NR |
| Incidental Inhalation-Spray | 4 ^a , 2 ^b | 0.0001-0.0005 | 23 ^a , 8 ^b | NR | 17 ^a , 4 ^b | 0.00048 ^a | 1 ^a | NR |
| Incidental Inhalation-Powder | 2 ^b | 0.0025 ^c | 8 ^b , 2 ^c | NR | 4 ^b | 0.0012-0.01 ^c | NR | NR |
| Dermal Contact | 16 | 0.0000005-0.025 | 51 | NR | 36 | 0.00029-0.01 | 1 | NR |
| Deodorant (underarm) | NR | 0.0005 | NR | NR | NR | NR | NR | NR |
| Hair - Non-Coloring | 3 | 0.0001-0.05 | 7 | NR | NR | NR | 1 | 0.0000048 |
| Hair-Coloring | NR | NR | NR | NR | NR | NR | NR | NR |
| Nail | NR | NR | NR | NR | NR | NR | NR | NR |
| Mucous Membrane | 7 | 0.0001-0.0025 | 12 | NR | 6 | 0.00029 | NR | NR |
| Baby Products | NR | NR | 3 | NR | NR | NR | NR | NR |

Table 9. Frequency and concentration of use according to duration and type of exposure for *Citrus* peel-derived ingredients.^{13,14}

| | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> | <i># of Uses</i> | <i>Max Conc of Use (%)</i> |
|------------------------------|---|---------------------------------|----------------------------------|----------------------------|--------------------------------|----------------------------|------------------|----------------------------|
| | Citrus Unshiu Peel Extract[†] | | Citrus Unshiu Peel Powder | | Orange Peel^m | | | |
| Totals[†] | 46 | 0.000002-0.094 | NR | 0.5 | 13 | NS | | |
| Duration of Use | | | | | | | | |
| Leave-On | 31 | 0.00005-0.094 | NR | NR | 5 | NS | | |
| Rinse Off | 14 | 0.000002-0.094 | NR | NR | 5 | NS | | |
| Diluted for (Bath) Use | 1 | 0.03 | NR | 0.5 | 3 | NS | | |
| Exposure Type | | | | | | | | |
| Eye Area | 4 | 0.000002-0.002 | NR | NR | NR | NS | | |
| Incidental Ingestion | NR | 0.00036 | NR | NR | NR | NS | | |
| Incidental Inhalation-Spray | 9 ^a ; 15 ^b | 0.002 | NR | NR | 1 ^b | NS | | |
| Incidental Inhalation-Powder | 15 ^b | 0.01; 0.0005-0.094 ^c | NR | NR | 1 ^b | NS | | |
| Dermal Contact | 40 | 0.000002-0.094 | NR | 0.5 | 13 | NS | | |
| Deodorant (underarm) | NR | NR | NR | NR | NR | NS | | |
| Hair - Non-Coloring | 6 | NR | NR | NR | NR | NS | | |
| Hair-Coloring | NR | NR | NR | NR | NR | NS | | |
| Nail | NR | NR | NR | NR | NR | NS | | |
| Mucous Membrane | 2 | 0.00036-0.03 | NR | 0.5 | 6 | NS | | |
| Baby Products | NR | NR | NR | NR | NR | NS | | |

NR = Not reported. NS = Not surveyed.

† Because each ingredient may be used in cosmetics with multiple exposure types, the sum of all exposure types may not equal the sum of total uses.

^a It is possible these products may be sprays, but it is not specified whether the reported uses are sprays.^b Not specified whether a powder or a spray, so this information is captured for both categories of incidental inhalation.^c It is possible these products may be powders, but it is not specified whether the reported uses are powders.^d Listed as Citrus Aurantium (Bitter Orange) in the VCRP database.^e Includes uses listed under Citrus Sinensis (Sweet Orange) Peel Extract in the VCRP database.^f Listed as Citrus Sinensis (Sweet Orange) Peel Wax and Orange Peel Wax in the VCRP database.^g Listed as Citrus Tachibana (Tachibana Orange) Peel Extract and Citrus Tachibana Peel Extract in the VCRP database.^h Listed as Citrus Grandis (Pomelo) Peel Extract in the VCRP database.ⁱ Listed as Citrus Junos (Xiaang Cheng) Peel Extract in the VCRP database.^j Listed as Lemon Peel in the VCRP database.^k Listed as Citrus Reticulata (Mandarin Orange) Peel Extract in the VCRP database.^l Listed as Citrus Unshiu (Satsuma Orange) Peel Extract in the VCRP database.^m Not in the INCI dictionary. Included because of similarity.

Table 10. Ingredients that are not reported to be in use.

Citrus Aurantifolia (Lime) Peel
Citrus Aurantifolia (Lime) Peel Water
Citrus Aurantium Sinensis Peel Extract
Citrus Depressa Peel Powder
Citrus Grandis (Grapefruit) Peel
Citrus Grandis (Grapefruit) Peel Powder
Citrus Hassaku/Natsudaikai Peel Powder
Citrus Iyo Peel Extract
Citrus Iyo Peel Water
Citrus Jabara Peel Powder
Citrus Jabara Peel Water
Citrus Junos Peel Water
Citrus Limon (Lemon) Peel Water
Citrus Natsudaikai Peel Extract
Citrus Nobilis (Mandarin Orange) Peel Powder
Citrus Reticulata (Tangerine) Peel Powder
Citrus Shunkokan Peel Extract
Citrus Sunki Peel Extract
Citrus Tachibana/Reticulata Peel Powder
Citrus Tangelo Peel Powder
Citrus Tangerina (Tangerine) Peel
Citrus Unshiu Peel Water

Table 11. Dermal irritation studies for *Citrus* peel-derived ingredients.

| Test Article | Concentration/Dose | Test Population | Procedure | Results | Reference |
|---|---|-------------------------------------|--|---|-----------|
| In Vitro | | | | | |
| Citrus Aurantium Dulcis (Orange) Peel Wax | 100% | details not provided | MATEX in vitro toxicity testing system; details not provided | no irritation | 8,12 |
| Citrus Reticulata (Tangerine) Peel Extract | 3.0% in formulation | human reconstructed epidermis | SkinEthic model according to OECD 439; no further details provided | no irritation | 26 |
| Animal | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 10% and 100% undiluted solutions | 3 rabbits; details not provided | primary skin irritation test; details not provided | no irritation | 6 |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 2.0% in formulation, undiluted | 3 guinea pigs; details not provided | primary skin irritation test on clipped skin; no further details provided | no irritation observed at 24, 48, or 72 h post-dosing | 29 |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 2.0% in formulation, in 50% water solution | 3 guinea pigs; details not provided | cumulative skin irritation test on clipped skin; animals dosed once a day for 2 weeks; animals observed daily | no irritation | 29 |
| Human | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 1.55% in formulation, in 20% water solution | 30 subjects | 48 h patch test; occluded | slight erythema in 1 subject 1 h post-patch removal, no irritation observed 24 h post-patch removal | 28 |
| Citrus Aurantium Dulcis (Orange) Peel Wax | 100% | details not provided | 48 h patch test; details not provided | no irritation | 8,12 |
| Citrus Limon (Lemon) Peel Extract | 0.1% in a moisturizer | 30 subjects | 14 day cumulative irritation patch test; 14 applications of ~23 h over 15 days; control materials distilled water and sodium lauryl sulfate; test area was 2 cm ² and semi-occluded; 0.2 ml test material applied to each patch | no irritation | 30 |
| Citrus Reticulata (Tangerine) Peel Extract | 3.06% in formulation | 30 subjects | 48 h patch test; occluded | slight erythema observed in 2 subjects and well-defined erythema observed in 1 subject 1 h post-patch removal; no irritation observed 24 h post-patch removal | 27 |
| Citrus Unshiu Peel Extract | 0.5% in formulation | 10 subjects | 24 h single patch test; details not provided | no irritation | 31 |

| Table 12. Dermal sensitization studies for <i>Citrus</i> peel-derived ingredients. | | | | | |
|---|----------------------------------|------------------------------------|--|---------------------------------------|-------------------|
| Test Article | Concentration/Dose | Test Population | Procedure | Results | References |
| Animal | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 2.0% in formulation; undiluted | 12 guinea pigs; no further details | sensitization study with adjuvant on clipped skin; occluded; no further details | no dermal sensitization | ²⁹ |
| Human | | | | | |
| Citrus Aurantifolia (Lime) Peel Extract | 2.14% in a face and neck product | 109 subjects | modified HRIPT; test area was 2 cm ² and semi-occluded; 150µl test material applied to each patch | no dermal irritation or sensitization | ³⁴ |
| Citrus Aurantium Dulcis (Orange) Peel Wax | 1.9% in a lipstick | 33 sensitive skin subjects | 4-week use test | no dermal irritation or sensitization | ³⁶ |
| Citrus Aurantium Dulcis (Orange) Peel Wax | 1.9% in a lipstick; undiluted | 105 subjects | HRIPT; details not provided | no dermal irritation or sensitization | ³⁷ |
| Citrus Grandis (Grapefruit) Peel Extract | 0.1% in a face and neck product | 209 subjects | modified HRIPT; test area was 2 cm ² and semi-occluded; 200µl test material applied to each patch | no dermal irritation or sensitization | ³³ |
| Citrus Grandis (Grapefruit) Peel Extract | 0.5% in an eye product | 55 subjects | HRIPT; details not provided | no dermal irritation or sensitization | ³⁵ |
| Citrus Reticulata (Tangerine) Peel Extract | no provided | 54 subjects | HRIPT; details not provided | no dermal irritation or sensitization | ⁹ |
| Citrus Reticulata (Tangerine) Peel Extract | 3.0% in formulation; undiluted | 56 subjects | HRIPT; semi-occluded; no further details | hypoallergenic | ²⁶ |
| Citrus Unshiu Peel Extract | 0.5% | 50 subjects | HRIPT (Marzulli and Maibach method); occlusive patch; no further details | no dermal irritation or sensitization | ³⁸ |
| Citrus Unshiu Peel Extract | 10% | 49 subjects | HRIPT; details not provided | no dermal irritation or sensitization | ⁶ |
| Citrus Unshiu Peel Extract | 100% undiluted | 54 subjects | HRIPT; details not provided | no dermal irritation or sensitization | ⁶ |

Table 13. Photosensitization and phototoxicity studies.

| Test Article | Concentration/Dose | Test Population | Procedure | Results | Reference |
|--|--------------------------------|---|--|--|-----------|
| In-Vitro | | | | | |
| Citrus Reticulata (Tangerine) Peel Extract | 3.0% in formulation | mouse fibroblasts | in vitro 3T3 NRU phototoxicity test according to OECD 432 | no photo irritation | 26 |
| Animal | | | | | |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 2.0% in formulation; undiluted | 5 guinea pigs; no further details | phototoxicity study on clipped skin; no further details | no photo irritation | 29 |
| Citrus Aurantium Amara (Bitter Orange) Peel Extract | 2.0% in formulation; undiluted | 10 guinea pigs; no further details | photosensitization study with adjuvant on clipped skin; no further details | no photo sensitization | 29 |
| lemon fruit juice and lemon peel juice (Tahitian and Sicilian varieties) | undiluted; liberally applied | 3 adult rats (strain not specified) per group | <ul style="list-style-type: none"> -rats were painted with fresh lemon fruit juice or lemon peel juice from 2 lemon varieties on depilated skin on the right back; left side was negative control with only sunlight exposure -rats were placed in plastic tubes with eight orifices to allow natural sunlight through - exposure to sunlight was 2.5, 5, 7.5, or 10 min -experiment repeated with Tahitian variety lemon peel juice with sun block SPF 45, UVA and UVB -biopsies performed for each time period for histopathological studies and photodocumentation | <ul style="list-style-type: none"> -phytophotodermatitis observed after 48 h after exposure to both types of peel juice -no reactions observed to peel juice without sun exposure or to sun exposure alone -minimum exposure time of 2.5 min sufficient to induce phototoxic reaction, with longer exposures causes more intense reactions -histopathological studies showed epithelial time-dependent vacuolar degeneration -sunblock diminished reaction intensity, but did not prevent it | 39 |
| lemon peel juice (Tahitian variety) | undiluted; liberally applied | 4 albino rats | <ul style="list-style-type: none"> -epilated right half of back of rats was sprayed with peel juice -one quadrant exposed to natural sunlight for 5 min and the other for 8 min; -left back served as control -biopsies taken after 1, 2, 3, 4, 5, 6, 24, 48, and 72 h from both sides | <ul style="list-style-type: none"> -normal epidermis observed for first 6 time intervals on both sides -after 24 h, treated area showed keratinocyte necrosis, cytoplasmic vacuolization and spongiosis in all rats, independent of exposure time -after 48 h, erythema evident, strong vacuolization observed that progressed to sub- or intraepidermal blisters -erythema persisted after 72 h at a lesser intensity -control side has isolated keratinocyte necrosis with only 8 min of exposure after 24 h, but after 48 h only slight spongiosis was observed which resolved by 72 h | 40 |
| lemon peel juice (Tahitian variety) | undiluted | 4 adult rats (strain not specified) | <ul style="list-style-type: none"> -test material was applied to depilated skin on the right side of the animal's back, left side served as a control -animals exposed for 8 min to mid-day sunlight -biopsies performed immediately after induction and after 1 and 2 h and evaluated by transmission electron microscopy -at 24 and 48 h after induction, light microscopy performed on tissues to evaluate changes | <ul style="list-style-type: none"> -no histological changes observed on control sites -immediately after induction, keratinocyte cytoplasmic vacuolization and membrane ruptures near vacuolization sites were observed -at 1 h after, desmosomal changes observed in addition to vacuolization, keratin filaments were not attached to desmosomal plaques, and free desmosomes and membrane ruptures were observed -at 2 h after, similar changes were observed in addition to granular degeneration of keratin | 41 |

Table 13. Photosensitization and phototoxicity studies.

| Test Article | Concentration/Dose | Test Population | Procedure | Results | Reference |
|--|--------------------|---|--|--|-----------|
| Human | | | | | |
| Citrus Aurantium Dulcis (Orange) Peel wax | 100% undiluted | 11 subjects, fair skinned with skin types I-III | <ul style="list-style-type: none"> - 2 sites treated with 0.2 ml of the test material and 1 site was untreated; patches were occluded and applied to the back - 24 h after dosing, subjects were exposed to sunlight for 5-10 min, a Solar UV Simulator® with a 150 watt xenon arc lamp (UVA and UVB 290-400 nm) with a Schott WG 345 to filter out UVB (290-320 nm) so that only UVA was delivered (320-400 nm). - test sites were examined 15 min, 24 h, and 48 h after irradiation | no phototoxic response was observed | 43 |
| sweet orange peel, mesocarp, and fruit; alcohol extractions of all 3 | undiluted | 3 subjects with type I skin and 1 subject with type II skin | <ul style="list-style-type: none"> -in duplicate Finn Chambers, peel, mesocarp, or fruit were applied directly to skin or as alcohol extract solutions (0.2 g/0.2 ml) at 20 µl on paper discs -closed patches were 1 h in duration - 48 h after dosing, subjects were exposed to sunlight for 30 min, a Phillips blacklight TL 20W/09 (320-440 nm) that delivered a total dose of 2.5 J/cm² - test sites were examined 8, 24, 48, 72, and 96 h after irradiation | <ul style="list-style-type: none"> -strong erythema (++) observed in 2 subjects with type I skin and strong erythema and infiltration (+++) observed in 1 subject with type I skin after 48 h after irradiation and exposure to pure peel and peel extract -slight erythema observed in all 3 type I subjects after exposure to pure peel and peel extract with no sun exposure after 48 h -no reactions observed to mesocarp or fruit, either pure or extract -no reactions induced in the type II skin subject | 42 |

REFERENCES

1. Nikitakis J and Breslawec HP. International Cosmetic Ingredient Dictionary and Handbook. 15 *ed.* Washington, DC: Personal Care Products Council, 2014.
2. Burnett CL, Bergfeld WF, Belsito D, Hill RA, Klaassen CD, Liebler DC, Marks JG, Shank RC, Slaga TJ, Snyder PW, and Gill LG. Safety Assessment of Citrus Fruit-Derived Ingredients as Used in Cosmetics. 1620 L Street NW, Suite 1200, Washington, DC 20036-4702, Cosmetic Ingredient Review. 2015.
3. Burnett CL, Fiume MM, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC, Marks JG, Shank RC, Slaga TJ, Snyder PW, and Gill LG. Safety Assessment of Citrus-Derived Peel Oils as Used in Cosmetics. 1620 L Street NW, Suite 1200, Washington, DC 20036-4702, Cosmetic Ingredient Review. 2014.
4. Personal Care Products Council. 6-5-2015. Review of Citrus Genus Species Names. Unpublished data submitted by Personal Care Products Council.
5. Nikitakis J and Lange B. International Cosmetic Ingredient Dictionary and Handbook. 16 *ed.* Washington, DC: Personal Care Products Council, 2016.
6. Anonymous. 2016. Summary information: Citrus Aurantium Amara (Bitter Orange) Peel Extract and Citrus Unshiu Peel Extract. Unpublished data submitted by Personal Care Products Council.
7. Ichimaru Pharcos Co Ltd. 2016. Citrus peel-derived ingredients as used in cosmetics (method of manufacture and impurities). Unpublished data submitted by Personal Care Products Council.
8. Koster Keunen. 2008. Toxicology and safety assessment for orange peel wax. Unpublished data submitted by Personal Care Products Council.
9. Anonymous. 2016. Summary information Citrus Reticulata (Tangerine) Peel Extract. Unpublished data submitted by Personal Care Products Council.
10. Sederma. 2016. Citrus Unshiu Peel Extract- Summary. Unpublished data submitted by Personal Care Products Council.
11. European Commission. Scientific Committee on Consumer Safety (SCCS) opinion on fragrance allergens in cosmetic products. http://ec.europa.eu/health/scientific_committees/consumer_safety/docs/sccs_o_102.pdf. Last Updated 2012. Date Accessed 9-3-2013.
12. Puleo SL and Rit TP. Orange peel wax. *Cosmetics and Toiletries*. 1994;109(8):42-48.
13. Food and Drug Administration (FDA). Frequency of use of cosmetic ingredients. *FDA Database*. 2016. Washington, DC: FDA.
14. Personal Care Products Council. 2-11-2016. Concentration of Use by FDA Product Category: Citrus Peel-Derived Ingredients. Unpublished data submitted by Personal Care Products Council.
15. Rothe H, Fautz R, Gerber E, Neumann L, Rettinger K, Schuh W, and Gronewold C. Special aspects of cosmetic spray safety evaluations: Principles on inhalation risk assessment. *Toxicol Lett*. 2011;205(2):97-104.
16. Rothe H. Special Aspects of Cosmetic Spray Evaluation. 9-26-2011. Unpublished data presented at the 26 September CIR Expert Panel meeting. Washington, D.C.
17. Bremmer HJ, Prud'homme de Lodder LCH, and Engelen JGM. Cosmetics Fact Sheet: To assess the risks for the consumer; Updated version for ConsExpo 4. 2006. Report No. RIVM 320104001/2006. pp. 1-77.
18. Johnsen MA. The Influence of Particle Size. *Spray Technology and Marketing*. 2004;14(11):24-27.

19. CIR Science and Support Committee of the Personal Care Products Council (CIR SSC). 11-3-2015. Cosmetic Powder Exposure. Unpublished data submitted by the Personal Care Products Council.
20. Aylott RI, Byrne GA, Middleton J, and Roberts ME. Normal use levels of respirable cosmetic talc: Preliminary study. *Int J Cosmet Sci.* 1976;1(3):177-186.
21. Russell RS, Merz RD, Sherman WT, and Siverston JN. The determination of respirable particles in talcum powder. *Food Cosmet Toxicol.* 1979;17(2):117-122.
22. European Union. Regulation (EC) No. 1223/2009 of the European Parliament and of the Council of 30 November 2009 on Cosmetic Products. 2009. Internet site accessed January 5, 2016. <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:342:0059:0209:en:PDF>
23. International Fragrance Association. IFRA standard for citrus oils and other furocoumans-containing essential oils. http://www.ifraorg.org/en-us/standards_restricted. Last Updated 10-14-2009. Date Accessed 2-26-2013.
24. International Fragrance Association. IFRA standard for 7-methoxycoumarin. <http://www.ifraorg.org/en-us/search/s/lime#.UiQD0TXD-Uk>. Last Updated 2009. Date Accessed 9-1-2013.
25. Integrated Laboratory Systems. Bitter orange (*Citrus aurantium* var. amara) extracts and constituents (\pm)-p-Synephrine [CAS No. 94-07-5] and (\pm)-p-octapamine [CAS No. 104-14-3]. Review of toxicological literature prepared for the National Toxicology Program. http://ntp.niehs.nih.gov/ntp/htdocs/Chem_Background/ExSumPdf/Bitterorange_508.pdf. Last Updated 2004. Date Accessed 3-7-2013.
26. Ichimaru Pharcos Co Ltd. 2016. Toxicity & safety MandarinClear (mixture containing Citrus Reticulata (Tangerine) Peel Extract). Unpublished data submitted by Personal Care Products Council.
27. Ichimaru Pharcos Co Ltd. 2016. Toxicity & safety CHINPI Liquid (mixture containing Citrus Reticulata (Tangerine) Peel Extract). Unpublished data submitted by Personal Care Products Council.
28. Ichimaru Pharcos Co Ltd. 2016. Toxicity & safety TOUHI Liquid (mixture containing Citrus Aurantium Amara (Bitter Orange) Peel Extract). Unpublished data submitted by Personal Care Products Council.
29. Ichimaru Pharcos Co Ltd. 2016. Toxicity & safety TOUHI Liquid B (mixture containing Citrus Aurantium Amara (Bitter Orange) Peel Extract). Unpublished data submitted by Personal Care Products Council.
30. Alba Science Ltd. 2011. A 14 day human cumulative irritation patch test (moisturizer with 0.1% Citrus Limon (Lemon) Peel Extract). N:\CIR\New N Drive\Library\Science Department\2015_12_Citrus peel not oils\9-info lemon peel extract.pdf.
31. Laboratoire Dermascan. 2002. Summary: Evaluation of the acute cutaneous safety of a raw material (0.5% Citrus Unshiu Peel Extract) on 10 adult volunteers using 24-hours single patch test method under dermatological control. Unpublished data submitted by Personal Care Products Council.
32. Institute for In Vitro Sciences Inc. 2012. Tissue equivalent assay with EpiOcular™ cultures (moisturizer containing 0.1% Citrus Limon (Lemon) Peel Extract). Unpublished data submitted by Personal Care Products Council.
33. Product Investigations Inc. 2012. Determination of the irritating and sensitizing propensities of a face and neck product containing 0.1% Citrus Grandis (Grapefruit) Peel Extract. Unpublished data submitted by Personal Care Products Council.
34. Product Investigations Inc. 2006. Determination of the irritating and sensitizing propensities of a face and neck product containing 2.14% Citrus Aurantifolia (Lime) Peel Extract. Unpublished data submitted by Personal Care Products Council.
35. Anonymous. 2013. Summary HRIPT of an eye area product containing 0.5% Citrus Grandis (Grapefruit) Peel Extract. Unpublished data submitted by Personal Care Products Council.

36. Anonymous. 2012. Summary of a 4-week use test of a lipstick containing 1.9% Citrus Aurantium Dulcis (Orange) Peel Wax. Unpublished data submitted by Personal Care Products Council.
37. Anonymous. 2011. Summary of an HRIPT of a lipstick containing 1.9% Citrus Aurantium Dulcis (Orange) Peel Wax. Unpublished data submitted by Personal Care Products Council.
38. Laboratoire Dermascan. 2002. Summary: Evaluation of the irritating and sensitizing potential of one cosmetic product (0.5% Citrus Unshiu Peel Extract) by repeated 48-hours epicutaneous applications under occlusive patch-test (Marzulli & Maibach method). Unpublished data submitted by Personal Care Products Council.
39. Gonçalves NEL, de Almeida HL, Hallal EC, and Amado M. Experimental phytophotodermatitis. *Photodermatol Photoimmunol Photomed.* 2005;21:318-321.
40. Jorge VM, de Almeida HL, and Amado M. Serial light microscopy of experimental phytophotodermatitis in animal model. *J Cutan Pathol.* 2009;36:338-341.
41. de Almeida HL, Sotto MN, de Castro LAS, and Rocha NM. Transmission electron microscopy of the preclinical phase of experimental phytophotodermatitis. *Clinics.* 2008;63:371-374.
42. Volden G, Krokan H, Kavli G, and Midelfart K. Phototoxic and contact toxic reactions of the exocarp of sweet oranges: A common cause of cheilitis? *Contact Dermatitis.* 1983;9:201-204.
43. Consumer Product Testing Co. 1993. Phototoxicity of Orange Wax 100%. Unpublished data submitted by Personal Care Products Council.
44. Vester L, Thyssen JP, Menné T, and Johansen JD. Occupational food-related hand dermatoses seen over a 10-year period. *Contact Dermatitis.* 2012;66:264-270.
45. Sandoval-Monemayor NE, Garcia A, Elizondo-Trevino E, Garza-Gonzalez E, Alvarez L, and del Rayo Camacho-Corona M. Chemical composition of hexane extract of *Citrus aurantifolia* and anti-*Mycobacterium tuberculosis* activity of some of its constituents. *Molecules.* 2012;17:11173-11184.

2016 FDA VCRP RAW DATA – Citrus Peel-Derived Ingredients

| | | |
|--|---|----|
| 12A - Cleansing | CITRUS AURANTIFOLIA (LIME) PEEL EXTRACT | 2 |
| 12D - Body and Hand (exc shave) | CITRUS AURANTIFOLIA (LIME) PEEL EXTRACT | 2 |
| 12F - Moisturizing | CITRUS AURANTIFOLIA (LIME) PEEL EXTRACT | 5 |
| 12J - Other Skin Care Preps | CITRUS AURANTIFOLIA (LIME) PEEL EXTRACT | 5 |
| 13A - Suntan Gels, Creams, and Liquids | CITRUS AURANTIFOLIA (LIME) PEEL EXTRACT | 1 |
| 12H - Paste Masks (mud packs) | CITRUS AURANTIFOLIA (LIME) PEEL POWDER | 1 |
| 12J - Other Skin Care Preps | CITRUS AURANTIFOLIA (LIME) PEEL POWDER | 2 |
| 05F - Shampoos (non-coloring) | CITRUS AURANTIUM (BITTER ORANGE) PEEL WAX | 1 |
| 07E - Lipstick | CITRUS AURANTIUM (BITTER ORANGE) PEEL WAX | 3 |
| 10A - Bath Soaps and Detergents | CITRUS AURANTIUM (BITTER ORANGE) PEEL WAX | 1 |
| 02A - Bath Oils, Tablets, and Salts | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 03C - Eye Shadow | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 2 |
| 04A - Cologne and Toilet waters | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 05A - Hair Conditioner | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 5 |
| 05F - Shampoos (non-coloring) | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 5 |
| 07I - Other Makeup Preparations | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 10A - Bath Soaps and Detergents | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 11E - Shaving Cream | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 12A - Cleansing | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 3 |
| 12C - Face and Neck (exc shave) | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 7 |
| 12D - Body and Hand (exc shave) | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 3 |
| 12F - Moisturizing | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 10 |
| 12G - Night | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 2 |
| 12H - Paste Masks (mud packs) | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 12I - Skin Fresheners | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 1 |
| 12J - Other Skin Care Preps | CITRUS AURANTIUM (BITTER ORANGE) PEEL EXTRACT | 5 |
| 10A - Bath Soaps and Detergents | CITRUS AURANTIUM (BITTER ORANGE) PEEL POWDER | 1 |
| 12A - Cleansing | CITRUS AURANTIUM (BITTER ORANGE) PEEL POWDER | 1 |
| 02D - Other Bath Preparations | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 03D - Eye Lotion | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |

| | | |
|---|---|---|
| 05A - Hair Conditioner | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 3 |
| 05E - Rinses (non-coloring) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 05F - Shampoos (non-coloring) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 3 |
| 05G - Tonics, Dressings, and Other Hair Grooming Aids | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 8 |
| 05H - Wave Sets | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 2 |
| 05I - Other Hair Preparations | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 2 |
| 07A - Blushers (all types) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 07C - Foundations | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 3 |
| 07I - Other Makeup Preparations | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 09A - Dentifrices | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 2 |
| 10A - Bath Soaps and Detergents | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 9 |
| 10E - Other Personal Cleanliness Products | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 2 |
| 12A - Cleansing | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 3 |
| 12C - Face and Neck (exc shave) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 3 |
| 12D - Body and Hand (exc shave) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 12F - Moisturizing | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 4 |
| 12G - Night | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 1 |
| 12J - Other Skin Care Preps | CITRUS AURANTIUM DULCIS (ORANGE) PEEL EXTRACT | 2 |
| 07B - Face Powders | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 1 |
| 10E - Other Personal Cleanliness Products | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 2 |
| 12A - Cleansing | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 2 |
| 12D - Body and Hand (exc shave) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 3 |
| 12H - Paste Masks (mud packs) | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 2 |
| 12J - Other Skin Care Preps | CITRUS AURANTIUM DULCIS (ORANGE) PEEL POWDER | 1 |
| 03D - Eye Lotion | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 2 |
| 03G - Other Eye Makeup Preparations | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 05A - Hair Conditioner | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 06A - Hair Dyes and Colors (all types requiring caution statements and patch tests) | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 2 |
| 07E - Lipstick | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 07F - Makeup Bases | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 10A - Bath Soaps and Detergents | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 12A - Cleansing | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 4 |
| 12C - Face and Neck (exc | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 7 |

| | | |
|---|---|----|
| shave) | | |
| 12D - Body and Hand (exc shave) | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 2 |
| 12F - Moisturizing | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 6 |
| 12G - Night | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 5 |
| 12H - Paste Masks (mud packs) | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 3 |
| 12I - Skin Fresheners | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 1 |
| 12J - Other Skin Care Preps | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 10 |
| 13A - Suntan Gels, Creams, and Liquids | CITRUS GRANDIS (POMELO) PEEL EXTRACT | 2 |
| 03D - Eye Lotion | CITRUS JUNOS (XIANG CHENG) PEEL EXTRACT | 1 |
| 01A - Baby Shampoos | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 02A - Bath Oils, Tablets, and Salts | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 03D - Eye Lotion | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 03G - Other Eye Makeup Preparations | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 04B - Perfumes | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 04E - Other Fragrance Preparation | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 05A - Hair Conditioner | CITRUS LIMON (LEMON) PEEL EXTRACT | 21 |
| 05F - Shampoos (non-coloring) | CITRUS LIMON (LEMON) PEEL EXTRACT | 22 |
| 05G - Tonics, Dressings, and Other Hair Grooming Aids | CITRUS LIMON (LEMON) PEEL EXTRACT | 2 |
| 05I - Other Hair Preparations | CITRUS LIMON (LEMON) PEEL EXTRACT | 9 |
| 06G - Hair Bleaches | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 06H - Other Hair Coloring Preparation | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 07E - Lipstick | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 08E - Nail Polish and Enamel | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 09A - Dentifrices | CITRUS LIMON (LEMON) PEEL EXTRACT | 2 |
| 10A - Bath Soaps and Detergents | CITRUS LIMON (LEMON) PEEL EXTRACT | 8 |
| 10B - Deodorants (underarm) | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 10E - Other Personal Cleanliness Products | CITRUS LIMON (LEMON) PEEL EXTRACT | 5 |
| 11E - Shaving Cream | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 12A - Cleansing | CITRUS LIMON (LEMON) PEEL EXTRACT | 22 |
| 12C - Face and Neck (exc shave) | CITRUS LIMON (LEMON) PEEL EXTRACT | 14 |
| 12D - Body and Hand (exc shave) | CITRUS LIMON (LEMON) PEEL EXTRACT | 6 |
| 12F - Moisturizing | CITRUS LIMON (LEMON) PEEL EXTRACT | 16 |
| 12G - Night | CITRUS LIMON (LEMON) PEEL EXTRACT | 1 |
| 12H - Paste Masks (mud packs) | CITRUS LIMON (LEMON) PEEL EXTRACT | 3 |

| | | |
|---|---|---|
| 12I - Skin Fresheners | CITRUS LIMON (LEMON) PEEL EXTRACT | 3 |
| 12J - Other Skin Care Preps | CITRUS LIMON (LEMON) PEEL EXTRACT | 4 |
| 08G - Other Manicuring Preparations | CITRUS LIMON (LEMON) PEEL POWDER | 1 |
| 10E - Other Personal Cleanliness Products | CITRUS LIMON (LEMON) PEEL POWDER | 1 |
| 12A - Cleansing | CITRUS LIMON (LEMON) PEEL POWDER | 1 |
| 12D - Body and Hand (exc shave) | CITRUS LIMON (LEMON) PEEL POWDER | 1 |
| 12J - Other Skin Care Preps | CITRUS LIMON (LEMON) PEEL POWDER | 2 |
| 10E - Other Personal Cleanliness Products | CITRUS LIMON (LEMON) PEEL WAX | 1 |
| 05A - Hair Conditioner | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 05F - Shampoos (non-coloring) | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 05G - Tonics, Dressings, and Other Hair Grooming Aids | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 07A - Blushers (all types) | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 10A - Bath Soaps and Detergents | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 10E - Other Personal Cleanliness Products | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 5 |
| 12A - Cleansing | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12D - Body and Hand (exc shave) | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12F - Moisturizing | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 3 |
| 12J - Other Skin Care Preps | CITRUS NOBILIS (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 01A - Baby Shampoos | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 01B - Baby Lotions, Oils, Powders, and Creams | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 2 |
| 02D - Other Bath Preparations | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 03G - Other Eye Makeup Preparations | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 05A - Hair Conditioner | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 2 |
| 05F - Shampoos (non-coloring) | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 2 |
| 05G - Tonics, Dressings, and Other Hair Grooming Aids | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 2 |
| 07C - Foundations | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 07E - Lipstick | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 3 |
| 10A - Bath Soaps and Detergents | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 8 |
| 12A - Cleansing | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 8 |
| 12C - Face and Neck (exc shave) | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 12D - Body and Hand (exc | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 7 |

| | | |
|---|--|----|
| shave) | | |
| 12F - Moisturizing | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 20 |
| 12G - Night | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 12J - Other Skin Care Preps | CITRUS PARADISI (GRAPEFRUIT) PEEL EXTRACT | 1 |
| 03D - Eye Lotion | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 3 |
| 03G - Other Eye Makeup Preparations | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 10A - Bath Soaps and Detergents | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 4 |
| 10E - Other Personal Cleanliness Products | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12A - Cleansing | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12C - Face and Neck (exc shave) | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 1 |
| 12D - Body and Hand (exc shave) | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12F - Moisturizing | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 14 |
| 12G - Night | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 3 |
| 12J - Other Skin Care Preps | CITRUS RETICULATA (MANDARIN ORANGE) PEEL EXTRACT | 2 |
| 12C - Face and Neck (exc shave) | CITRUS RETICULATA (TANGERINE) PEEL EXTRACT | 1 |
| 10E - Other Personal Cleanliness Products | CITRUS SINENSIS (SWEET ORANGE) PEEL EXTRACT | 1 |
| 12A - Cleansing | CITRUS SINENSIS (SWEET ORANGE) PEEL EXTRACT | 1 |
| 12F - Moisturizing | CITRUS SINENSIS (SWEET ORANGE) PEEL EXTRACT | 1 |
| 07E - Lipstick | CITRUS SINENSIS (SWEET ORANGE) PEEL WAX | 1 |
| 11A - Aftershave Lotion | CITRUS SINENSIS (SWEET ORANGE) PEEL WAX | 4 |
| 12A - Cleansing | CITRUS TACHIBANA (TACHIBANA ORANGE) PEEL EXTRACT | 1 |
| 12F - Moisturizing | CITRUS TACHIBANA (TACHIBANA ORANGE) PEEL EXTRACT | 1 |
| 12J - Other Skin Care Preps | CITRUS TACHIBANA (TACHIBANA ORANGE) PEEL EXTRACT | 3 |
| 12C - Face and Neck (exc shave) | CITRUS TACHIBANA PEEL EXTRACT | 3 |
| 05A - Hair Conditioner | CITRUS TANGERINA (TANGERINE) PEEL EXTRACT | 1 |
| 12G - Night | CITRUS TANGERINA (TANGERINE) PEEL EXTRACT | 1 |
| 02A - Bath Oils, Tablets, and Salts | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 1 |
| 03D - Eye Lotion | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 3 |
| 03E - Eye Makeup Remover | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 1 |

| | | |
|---|---|----|
| 05A - Hair Conditioner | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 2 |
| 05F - Shampoos (non-coloring) | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 4 |
| 10A - Bath Soaps and Detergents | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 1 |
| 12A - Cleansing | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 5 |
| 12C - Face and Neck (exc shave) | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 14 |
| 12D - Body and Hand (exc shave) | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 1 |
| 12F - Moisturizing | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 7 |
| 12H - Paste Masks (mud packs) | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 1 |
| 12I - Skin Fresheners | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 2 |
| 12J - Other Skin Care Preps | CITRUS UNSHIU (SATSUMA ORANGE) PEEL EXTRACT | 4 |
| 02A - Bath Oils, Tablets, and Salts | ORANGE PEEL | 2 |
| 02D - Other Bath Preparations | ORANGE PEEL | 1 |
| 10A - Bath Soaps and Detergents | ORANGE PEEL | 2 |
| 10E - Other Personal Cleanliness Products | ORANGE PEEL | 1 |
| 12A - Cleansing | ORANGE PEEL | 2 |
| 12D - Body and Hand (exc shave) | ORANGE PEEL | 1 |
| 12J - Other Skin Care Preps | ORANGE PEEL | 4 |
| 05G - Tonics, Dressings, and Other Hair Grooming Aids | ORANGE PEEL WAX | 3 |
| 12F - Moisturizing | ORANGE PEEL WAX | 1 |
| 12A - Cleansing | LEMON PEEL | 1 |
| 12D - Body and Hand (exc shave) | LEMON PEEL | 1 |
| 12G - Night | LEMON PEEL | 1 |
| 12J - Other Skin Care Preps | LEMON PEEL | 1 |



Memorandum

TO: Lillian Gill, D.P.A.
Director - COSMETIC INGREDIENT REVIEW (CIR)

FROM: Beth A. Lange, Ph.D.
Industry Liaison to the CIR Expert Panel

DATE: June 1, 2016

SUBJECT: Comments on the Draft Safety Assessment of *Citrus* Peel-Derived Ingredients as Used in Cosmetics (prepared for the June 6-7, 2016 meeting)

Introduction - As the highest use ingredient was only reported to be used in 150 products of the 49,265 (about 0.3%) products reported to the VCRP, it is not appropriate to state that these ingredients are “widely” used in cosmetics.

Dermal Irritation, Summary - Please state the species in which *Citrus Aurantium Amara* (Bitter Orange) Peel Extract was tested in rather than “rodents”. According to Table 11, this test was completed in rabbits. Rabbits are not “rodents”.

Summary - The European limit on furocoumarins in cosmetics is presented correctly in the Cosmetic Use section but not in the Summary. The limit is not for “*Citrus*-derived ingredients”. The limit is for furocoumarins in finished products (specifically sun-protection and bronzing products).



Memorandum

TO: Lillian Gill, D.P.A.
Director - COSMETIC INGREDIENT REVIEW (CIR)

FROM: Beth A. Lange, Ph.D.
Industry Liaison to the CIR Expert Panel

DATE: June 24, 2016

SUBJECT: Comments on the Tentative Report: Safety Assessment of *Citrus* Peel-Derived Ingredients as Used in Cosmetics (released June 16, 2016)

Key Issue

Is *Citrus Aurantium amara* (bitter orange) peel wax (not INCI) an ingredient included in this report? This ingredient is included in the use table (Table 9) and mentioned as an example in the Cosmetic Use section. It was also included in a concentration of use survey, and it is a search term associated with this report. This ingredient is not among the ingredients listed in the Introduction, Conclusion, or Table 1. Adding *Citrus Aurantium amara* (bitter orange) peel wax to the lists of ingredients included in the report would make it clear that it is an ingredient in the report.

Additional Considerations

Constituents/Composition, Citrus Unshiu Peel Extract - What allergens were less than detection limits, the European fragrance allergens?

Dermal Irritation, Table 11 - Was Citrus Aurantium Amara (Bitter Orange) Peel Extract really “tested up to 50% in rodents”? Table 11 has two guinea pig studies of this ingredient the single dose study says “2.0% in formulation, undiluted” and the cumulative irritation study (2 weeks) says: “2.0% in formulation, in 50% water solution”. Since both studies were completed in guinea pigs, it would be clearer if the text said “guinea pigs” rather than “rodents”.

Phototoxicity and Photosensitization, Table 13 - Please provide more details of the study on orange peel. Only 4 subjects were tested. A positive response was observed in the 3 subjects with type I skin, while no reactions were observed in the single subject with type II skin.

Table 5 - Please add “citrus peels” to the title of this table.

Table 9 - Orange Peel (reported to the VCRP) was not included in a concentration of use survey so it should say “NS” rather than “NR”.